

SCIENTIFIC AMERICAN


[Entered at the Post Office of New York, N. Y., as Second Class Matter. Copyright, 1901, by Munn & Co.]

A WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART, SCIENCE, MECHANICS, CHEMISTRY, AND MANUFACTURES.


Vol. LXXXIV.—No. 10.
ESTABLISHED 1845.

NEW YORK, MARCH 9, 1901.


\$3.00 A YEAR.
8 CENTS A COPY.



Front View of the Typesetting Machine.



Rear View of the Machine, Showing Mechanism.



General View of the Machine, Showing Keyboard.

A MACHINE WITH 18,000 ELEMENTS—THE PAIGE TYPESETTING MACHINE.—[See page 150.]

Scientific American.

ESTABLISHED 1845

MUNN & CO., - - - EDITORS AND PROPRIETORS.

PUBLISHED WEEKLY AT

No. 361 BROADWAY, - - NEW YORK.

TERMS TO SUBSCRIBERS

One copy, one year, for the United States, Canada, or Mexico \$3.00
 One copy, one year, to any foreign country, postage prepaid, £0 10s. 5d. 4.00

THE SCIENTIFIC AMERICAN PUBLICATIONS.

Scientific American (Established 1845).....\$3.00 a year.
 Scientific American Supplement (Established 1876)..... 3.00
 Scientific American Building Edition (Established 1885)..... 2.50
 Scientific American Export Edition (Established 1878)..... 3.00

The combined subscription rates and rates to foreign countries will be furnished upon application.

Remit by postal or express money order, or by bank draft or check.

MUNN & CO., 361 Broadway, corner Franklin Street, New York.

NEW YORK, SATURDAY, MARCH 9, 1901.

The Editor is always glad to receive for examination illustrated articles on subjects of timely interest. If the photographs are sharp, the articles short, and the facts authentic, the contributions will receive special attention. Accepted articles will be paid for at regular space rates.

THE NEW STAR IN PERSEUS.

A sensation has been produced in the realm of stellar science by the recent discovery of a temporary star whose brightness exceeds that of any other object of that class which has been observed in the last three centuries. On February 21 Dr. T. D. Anderson, of Edinburgh, a well-known amateur astronomer, detected this celestial phenomenon in Perseus, a little south of Alpha and east of Beta in that constellation. Although the accounts regarding it are not altogether accordant, it would seem that at its maximum it exceeded Capella in brilliancy, and almost rivaled Sirius. And this culmination appears to have been reached on Sunday morning, February 24. Since that time the star has perceptibly diminished in splendor. During the early part of last week it was of about the first magnitude, and distinctly inferior to Capella, but brighter than its most conspicuous neighbors in Perseus, which are second magnitude stars. A little later even a novice could see that it had faded still farther. Upon receipt of news of the discovery the Harvard photographs of that region of the heavens made for a month previous were examined. The plate for February 19 showed the new star, but with a magnitude of less than 10.5. It also appeared on the plates of February 2, 6, 8, and 18.

It is necessary to go back to the famous outburst observed by Tycho Brahe in 1572 to find with certainty one which surpassed this in brightness. Tycho's star appeared in Cassiopeia, and is said to have equaled Venus at her best. Kepler saw another in 1604, but it is impossible to say whether it beat the new star in Perseus or not. Scarcely more than a dozen temporary stars have been reported since that time, and not one has matched the latest. Indeed, some of them have been invisible to the naked eye, or else, while bright enough to be seen without instruments, were detected only by the camera. The last discovery of a naked-eye temporary star occurred in January, 1892, and was made by the same Dr. Anderson who found "Nova Persei." It was in Auriga, only a short distance from the recent luminous outbreak, and not far from Cassiopeia, the site of Tycho's star. Pickering has called attention to the fact that nearly all of the fifteen stars which he enumerated appeared either in or near the Milky Way, a coincidence that he thought was not without significance.

Astronomers designate celestial developments of this kind "new stars," but the phrase is misleading. Those who are versed in such matters do not imagine that these sudden appearances represent fresh creations, but suppose that something invisible before has become visible. But even so, the phenomenon presents a mystery of tremendous interest, both scientific and popular, and there has been much speculation as to its cause.

It has been suggested, for instance, that chemical combinations might occur in the atmosphere of an orb which had cooled down from incandescence to a barely luminous condition, and that these combinations would evolve enough heat to produce a vivid light for a short time. Zöllner conceived that a star with a thin crust over its molten mass might meet with an accident that would rupture the covering, and liberate an immense quantity of glowing material. Lockyer's notion has been that two vast swarms of meteoritic particles, flying in different directions, meet in space, and are made to glow by friction. Others have believed that two suns or stars, once hot and brilliant but since grown cold and dark, come into collision. Should such a thing happen the energy of motion would be converted into thermal energy, and the two bodies might be set on fire.

A theory somewhat akin to these last two was proposed by Wilsing a few years ago. Klinkerfues had previously tried to account for the flash of a certain class of variable stars on the hypothesis that the ro-

tation of a satellite around its primary raised an immense tidal wave of obscuring atmosphere, sweeping it to one side and more fully revealing the partially hidden luminous surface below. Wilsing fitted this theory to temporary stars by supposing that some huge wanderer in space, like a dark sun, passed near enough to another body to produce similar effects, but on a larger scale. Seeliger has shown that tidal action could hardly last more than a few hours, but Scheiner remarks that it might serve as a trigger to liberate forces that would not exhaust themselves for a long time. The Klinkerfues-Wilsing theory commended itself more strongly than any of the others just mentioned to Sir William Huggins, the eminent English astronomer, although it has not been generally accepted.

A hypothesis advanced by Seeliger soon after the appearance of Nova Aurigæ has met with more favor, as it can be better reconciled with observed phenomena. According to this authority, only one solid body is concerned in the business, and this encounters a nebula. Now a nebula is supposed to be an exceedingly attenuated collection of matter, either gaseous or dust-like. Yet when one reflects on the almost inconceivable velocities at which the cloud and dark orb come together he can understand that a good deal of heat must be developed. The friction might be of short duration, and the effect on the invading body would not extend to any great depth, yet for the time being the result might be eminently pyrotechnic. The surface of the dead star would become incandescent, and possibly some of its material be vaporized. At the same time parts of the nebula would also be heated and caused to glow. Thus there would be two sources of light, though the latter would be temporary. There are strong reasons for suspecting that the recent outburst in Perseus represents an occurrence of this sort, and that the star and nebula will disappear from view after a few weeks or months.

The evidence on which this supposition is based is supplied by the spectroscope. That instrument showed conclusively that in Nova Aurigæ at least two objects were concerned, because there were two different spectra, one superposed on the other. There was the characteristic spectrum of a nebula, and the spectrum of an incandescent solid over which some incandescent metallic vapors floated. The same state of things was also indicated, but less distinctly, in the case of the temporary stars in the Northern Crown (1866) and the Swan (1876). And already the same combination has been imperfectly revealed in the observations of Nova Persei. Incidentally, it may be remarked that the nebular spectrum of the star in Nova Aurigæ lasted much longer than the stellar spectrum, and that when last observed with a telescope it presented the appearance of a ball-like nebula.

The spectroscope betrays motion as well as composition. And Campbell estimated that the two objects involved in the production of Nova Aurigæ moved toward each other at the rate of 550 miles a second! Lockyer is said to have put the combined motion in the new star in Perseus at 700 miles a second. Possibly this is an over-estimate, because Campbell reports that relatively to the solar system the star seems to be nearly stationary.

As yet the distance of Nova Persei from us cannot be guessed. It may be fifty light years away, and it may be a thousand. It has been in existence too short a time for any parallax work to be done with it. But the chief matter of interest is the nature of the event which the object reveals, and not the precise location of the scene.

AN IMPORTANT TELEPHONE PATENT DECISION.

The United States Circuit Court for the District of Massachusetts has just handed down a decision in the suits of the American Bell Telephone Company against the National Telephone Manufacturing Company, and the American Bell Telephone Company against the Century Telephone Company, for infringement of the famous Berliner patent, No. 463,569, dated November 17, 1891, for microphone attachment for telephones.

A few remarks concerning this patent, and its history and litigation, may be of interest at this time.

As is well known, the transmission of speech by telephony requires two instruments, the first, the transmitter, into which the speaker talks, and the second, the receiver, at which the hearer listens. Mr. Bell's patent of 1876 described an instrument which could be used interchangeably for either of these purposes. In 1878 Mr. Edison and Mr. Blake produced transmitters, both unlike Mr. Bell's, and differing from each other in detail, but operating on the same general principle. They both belonged to the class of transmitters called microphones, the distinguishing feature of which is that the undulations of the electrical current by means of which the sonorous vibrations of the air in the transmitter are caused to be reproduced in the receiver, are caused by variations of pressure between two electrodes remaining constantly in contact, which variations of pressure are caused by the vibrations of the diaphragm of the transmitter.

The Bell company acquired title to both these patents, and enjoyed the exclusive right to the use of said inventions during the life of the respective patents.

About the time that the patent on the Blake transmitter was expiring, the public were astonished to learn that a patent had just been issued to the Bell company, covering in the broadest possible terms the identical microphone transmitter for which the telephone subscribers had been paying rentals in the past, and under which new patent the Bell company would be entitled to exact a continuance of the same rentals for the same instrument for seventeen years longer.

An examination of the files in the Patent Office, then for the first time accessible to the public, showed that the application for this new patent had been filed by Emile Berliner, June 4, 1877, and had become the property of the Bell company in 1878, and had been controlled by that company to the time of its issue.

The extraordinary delay in the issue of the patent (the application being all the time under the control of the Bell company), coupled with the manifest interest of that company to prolong its monopoly by means of that delay, prompted the United States, in 1893, to bring suit against the Bell company and Berliner to set aside and cancel the said Berliner patent. On January 3, 1895, the United States Circuit Court entered a decree setting aside and canceling said patent. On appeal to the United States Circuit Court of Appeals for the First Circuit, that court, on May 18, 1895, reversed the decree below, and directed a dismissal of the bill of complaint. Thereupon, the United States took an appeal to the United States Supreme Court, and on May 10, 1897, that court rendered a decision affirming the decision of the United States Circuit Court of Appeals.

The suits just decided by the Circuit Court were brought to enjoin the defendants from making, using, or selling telephones embracing or containing a microphone attachment substantially as claimed in the said Berliner patent. The court, on the 27th inst., dismissed the bill of complaint, holding the Berliner patent to be void, and anticipated by the Edison and Bell inventions.

The Bell company will undoubtedly take an appeal, and the public will await with interest the ultimate decision which will confirm or destroy the Bell company's monopoly.

THE SLABY SYSTEM OF WIRELESS DUPLEX TELEGRAPHY.

From an ill-understood curiosity wireless telegraphy seems at last to have become an important and valuable branch of electrical science. Much of the credit for this evolution is due to Prof. Slaby, of Charlottenburg, and to his indefatigable collaborator, Count Arco, both of whom have systematically investigated the phenomena of the Hertzian waves and formulated laws by which these phenomena can be explained. As a result of their labors, the uncertainty and whimsicality of wireless telegraphy have disappeared. Much that was formerly considered indispensable in the ethereal transmission of electrical waves has been proven unnecessary, and even disadvantageous.

The balloon at the upper end of the transmitting wire, supposed to serve the purpose of increasing the capacity; the peculiar plates at the receiving station, formed like butterfly-wings, and likewise designed to increase the capacity; the careful insulation of the receiving wire from the earth; and other details of the old system have been rudely thrown aside. Nothing more is heard of the law that the distance to which messages can be transmitted is proportional to the square of the length of the transmitting and receiving wires. That there is a definite relation between distance and length of wire or height of mast may well be assumed; but that relation, whatever it may be, plays no very important part in Slaby's system, since the tension to which the coherer is subjected is augmented by means different from those hitherto known.

The waves sent forth by a transmitter loop are augmented by a condenser. An induction coil is connected with the upper end of the loop, and is so wound that it permits the passage of low-frequency currents, but checks the high frequency currents generated by the discharge of the condenser. At the moment of discharge the loop acts as a single vertical wire. By varying the nature of the induction-coil and the condenser, waves of any length can be sent forth. At a lecture delivered before the German Emperor, waves varying in length from 140 to 600 meters were utilized.

In direct opposition to Marconi, Slaby grounds his receiving-wire. An ordinary lightning rod is used instead of a mast. If the length of the receiving wire be exactly one-fourth the wave length, a node is formed at the connecting-point with the earth, and the maximum amplitude of the alternating tension appears at the upper end. Evidently the coherer should be attached to the point of greatest amplitude; but such an arrangement is impossible in practice. The difficulty is very simply and ingeniously overcome by connecting with the receiving-wire at the earth-node

a horizontal auxiliary wire of equal length. At the free end of this horizontal wire the wave-amplitude is equal to that of the upper end of the main wire. To the free end of this auxiliary wire the coherer is attached. The auxiliary wire need not be extended in a straight line; it can be wound to form a coil.

If the main receiving-wire, which is usually a lightning-rod, and which cannot, therefore, be readily lengthened and shortened, be subjected to the action of electrical waves of greater length than the wire can receive, it is necessary merely to lengthen the auxiliary wire in order to receive the message. In this manner a nodal point can be formed in the auxiliary wire, so that the receiving-wire may be subjected to electrical impulses by which it would not otherwise be influenced. The auxiliary wire in Slaby's system is of the utmost importance; for by its use the receiving apparatus will be affected only by certain waves. Thus Prof. Slaby has succeeded in overcoming one of the most glaring deficiencies in wireless telegraphy—the impossibility of secretly transmitting a message to one station alone.

In order to increase the effect of the waves, a peculiarly wound induction coil is placed in the circuit between the coherer and the auxiliary wire. The coil Prof. Slaby terms a "multiplier." By means of this instrument a trustworthiness and certainty of operation have been attained which are as gratifying as they have been conspicuously lacking in previous methods of ethereal telegraphy.

Not the least interesting feature of Prof. Slaby's invention is the possibility of receiving two messages simultaneously at a single station—an end which has been attained largely by means of the auxiliary wire of variable length already mentioned.

A TRIUMPH OF INGENUITY AND A PATENT WITH A HISTORY.

When we consider the inventions of the latter end of the Nineteenth Century we are sometimes impressed by the enormous amount of inventive skill which is required to put all the parts of a complicated mechanism into that juxtaposition which enables them to perform properly their delicate offices in harmony. Many inventive minds capable of conceiving great ideas in their generalities are lacking in that knowledge of mechanical minutiae which alone would qualify them for putting their ideas into practice. When a person combines these two qualities the full triumph of inventive genius may then be attained. One of the most remarkable examples of the union of large ideas and broad principles underlying a complicated train of mechanical operations, together with a most elaborate working out of movements and details, is exhibited by the Paige typesetting machine, invented by James William Paige, of Hartford, Conn., now of Chicago. The machine, which sets, justifies and distributes foundry types with wonderful speed and precision, is probably the most complicated piece of mechanism ever devised, and it is gratifying to know that the present owners of the patent have presented it to Cornell University, where it will, for all time, remain as a monument to the painstaking care of an inventor who spent seventeen years of his life perfecting it. The machine as it stands has 18,000 active elements, including 800 journal bearings. While the work produced was of the first grade and the machine was successfully operated by The Chicago Herald, the cost and complexity rendered it impossible for use on a commercial basis, machines costing one-seventh or one-eighth as much performing work which was entirely satisfactory and without any of the risks of a breakdown which would be always present in a machine having 18,000 parts. The machine is described in detail elsewhere. It will be interesting to trace the history of an invention and a patent which for size and complexity is the most celebrated upon record.

There are three patents which were issued simultaneously on October 15, 1895. The first patent had 31 sheets of drawings, 28 pages of specification, and 130 claims; the second patent had 163 sheets of drawings, 46 pages of specification, and 146 claims; the third patent, of which Mr. Charles R. North, of Chicago, was joint inventor with Mr. Paige, had 81 sheets of drawings, 49 sheets of specification, and 172 claims, and referred particularly to the justification of the type. This made a grand total for the three patents of 275 sheets of drawings, 123 sheets of specification, and 613 claims. The largest patent, No. 547,860, is really a volume in itself, and the drawings are very handsome and include in the 163 sheets 471 figures and 1,075 figures of reference.

The application was filed August 19, 1887, with the customary government fee of \$15. The file was signed for allowance by James Q. Rice, examiner, on March 22, 1895. The notice of allowance was dated March 26, 1895, and the final fee of \$20 was paid September 23, 1895, and the patent issued in due course on October 15. The first official letter was dated on March 15, 1888, or about seven months after the case was filed. The second official letter was more than

two years later, on May 5, 1890; other official letters were dated April 14, 1891, and July 18, 1894. The long waits between the official letters show the enormous amount of work which had to be done by both the attorneys and the Patent Office before the various actions were taken. Mr. Giles S. Rafter did practically all the work of examination of the application in the Patent Office, and we are indebted to him for much of our information. The patent attorney and the draughtsman went to Hartford, where Mr. Paige was then living, and where he had his machine, and prepared the application. It is said that the attorney's fee was \$10,000 for the patent to which we refer, and the draughtsman received \$2,000 for his services. The application as presented included 204 sheets of drawings, but during the course of the application through the Patent Office the number of sheets were cut down by eliminating all the illustrations that were deemed unnecessary. This was done with a view to save as far as possible the expense of issuing the patent. Mr. Paige changed attorneys and the whole case was rewritten. Subsequently Mr. Paige removed to Chicago and established a factory for manufacturing the machines. His new attorney in turn rewrote the case, and the patent as issued is the result of his labors. There is something tragical about this case, for one of the examiners who worked upon it and who signed the first official letter in 1888 died in 1890 or 1891, and the patent attorney who originally prepared the papers died insane, and Mr. Charles H. Richardson, who was acting examiner, and who signed the third official letter, also died insane, but as he had little to do with handling the case it is not thought that the application was responsible for his misfortune.

When the Patent Office considered the application for the large patent, it was suggested on behalf of Mr. Paige that the assistant examiner go to Chicago and examine the application in connection with the machine. The Paige people were notified that they would either have to bring the machine to Washington or pay the examiner's expenses to go to Chicago to examine the machine, and as it would have cost from \$6,000 to \$7,000 to bring the machine to Washington they naturally preferred to pay the assistant examiner's expenses. The then Commissioner of Patents, Seymour, peremptorily refused under a rule to permit the examiner to go, but the examiner suggested that this was an extraordinary case and asked permission of the Commissioner to bring the case to his room for inspection. This was done, and the papers and drawings were about all that the man could carry, and the Commissioner consented to send Mr. Rafter to Chicago. The latter spent five or six weeks in Chicago, being engaged part of the time in the attorney's office and part of the time in the factory examining the machine. The machine as originally built was 18 or 20 inches too long, and while Mr. Rafter was in Chicago Mr. Paige had a large corps of draughtsmen with a chief draughtsman at \$10,000 per annum, and four assistant draughtsmen engaged in reorganizing the machine to reduce its length, as desired. They had a large vault in which the working drawings were kept, and it is estimated that it contained about 10,000 sheets, 3 by 3 feet, of working drawings of the machine in hand. At that time they had in the factory one complete machine, and one machine in course of construction. The former was kept behind a dozen locked doors. Mr. North, the joint inventor, was a skilled mechanic, and was one of Mr. Paige's workmen who had been helping him in developing the justifying apparatus. The government was naturally put to very heavy expense besides the actual expenses of examining the case. It is estimated that it consumed about \$1,000 of time of the various Patent Office officials before maturing into a patent, and when issued the usual rule had to be followed of providing copies for sale at the regular price. As the text was about \$2.60 a page and 93 cents a page to reproduce the drawings, this, combined with the cost of paper and printing, made the cost of the first edition over \$6 a copy. The larger patent is as big as a good-sized book, and the three together make an imposing volume.

A NEW PERMANENT PHONOGRAPH RECORD.

When the phonograph first made its appearance, in 1878, it took a remarkably strong hold on the imagination both of scientific men and of the general public. It was prophesied at the time that public speeches would be dictated and reproduced before audiences in any part of the country; letters would be spoken instead of written, and reuttered in the accents of the sender's own voice; and, greatest of all perhaps, the voices of great singers and noted men would be preserved for the instruction and delight of future generations.

Up to the present time, the instrument has been put to these uses to a very limited extent, to the last one scarcely at all. The wax records ordinarily used are not adapted to the purpose, because they are not

sufficiently durable. They are frail and easily defaced, and gradually wear out after being used a few times. There are now, however, two or three satisfactory ways in which phonographic records can be preserved indefinitely, the most interesting of which, perhaps, is described in a recent patent of Mr. Edison's. From an ordinary wax record he produces a very perfect duplicate made of silver with a thin plating of gold. There seems to be no reason why such records will not last for centuries, and a collection of them, preserved perhaps by our museums and learned institutions, should be of the highest value to the future student of history, language and music, more especially as it is possible, by processes already well known, to obtain from them at any time an almost indefinite number of excellent copies.

The reproduction of the voice given by the phonograph is still somewhat disappointing, and leaves much to be desired as a means of studying language; but there can be no doubt that if we had a collection of records made, say, in the age of Elizabeth, and as perfect as those now produced, we would learn much of the speech of the sixteenth century.

Mr. Edison's process is simple but interesting. He takes a copper electroplate of a wax record. This copper relief obtained is then electroplated with silver, the surface of which, next the copper, of course has precisely the form of the original wax surface. The copper matrix is then dissolved away with acid.

In the electroplating process the wax record is revolved under a bell-jar, in a Crookes vacuum, through which an electric discharge is passing between electrodes of gold. This causes a discharge of a vapor or infinitesimal particles of gold, which attach themselves to whatever they strike, forming a continuous coating of excessive thinness, and following the outline of the surface with absolute fidelity. Upon this coating the copper matrix is plated, to form the inside surface upon which the silver is deposited when the wax is removed.

The gold, like the silver, being unaffected by the acid used, remains as a plating on the silver record when the copper matrix is dissolved away. The amount of gold used is scarcely appreciable, and the silver may, of course, be a thin shell, backed up by other material, so that the records are not as expensive as might be supposed from the materials employed.

THE POLLOK MEMORIAL PRIZE.

From time to time we have called the attention of inventors to a prize of 100,000 francs (\$20,000), to be known as the Anthony Pollok Prize, offered by the heirs of the late Anthony Pollok, of Washington, who lost his life in the fatal collision of the steamship "La Bourgogne" with the "Cromartyshire," off Sable Island, nearly three years ago. The prize, it will be remembered, is to be awarded to the inventor of the best device for fulfilling one or all of these conditions, to wit: To prevent collision at sea, to save the ship in case of collision, to save the passengers and crew collectively in case the ship is abandoned.

Previous experience has shown that many devices and apparatus offered could not be practically relied on in case of accident, owing to the limited number of the crews of merchant vessels. It has therefore been decided to exclude devices designed to save individuals separately, such as life belts, waistcoats, buoys, etc.; such apparatus which encumber the decks so as seriously to interfere with the carrying capacity both as to passengers and freight, or such as could not be readily adapted and used on ships now in general service; all improvements or modifications of inventions already recognized as insufficient for the purpose of saving the passengers and crew collectively, such as lifeboat davits, oil-throwing devices, etc.; rafts of all kinds which must be mounted, assembled or inflated at the time of the accident; and hatch covers, deck houses, etc., which are designed to float automatically when the ship sinks.

The devices and inventions may be presented in full size ready for trials, or models and drawings showing all details may be submitted.

The competition will be opened at Havre on September 9, 1901.

The jury, whose names will be published later, will consist of men whose competency is unquestionable and will have power to prescribe tests and trials. All possible facilities will be offered to the inventor; but all expense must be borne by him. The exposition of devices entered in the competition will be held at Havre under the auspices of the Chamber of Commerce of that city. No charge will be made for space, or for the care of the exhibits. If the exhibit be marked "Prix Anthony Pollok" no duty will be exacted by the French customs officials.

The devices must be delivered free of charge at Havre between August 1 and September 1, 1901, and addressed "Concours Prix Anthony Pollok. Capitaine S. Dechaille, Directeur du Service des Signaux et du Sauvetage de la Chambre de Commerce, Havre, France."

AN IMPROVED GASOLINE AUTOMOBILE.

The vehicle shown in our illustration has recently been severely tested over a run of 538 miles, without a rest, during extremely cold weather, almost unendurable by the drivers.

It is a new Columbia gasoline runabout, known as Mark 8, built by the Electric Vehicle Company, of Hartford, Conn., after plans by Mr. Hiram P. Maxim, chief engineer of the company, and has demonstrated satisfactorily its durability and power in the test lately made. The total weight of the vehicle, with eleven gallons of gasoline and sundries, is 1,640 pounds. The quantity of gasoline mentioned will carry the vehicle 165 miles.

The engine is a single cylinder, Otto cycle. The cylinder dimensions are 4.6 diameter by 6.8 stroke. The complete engine, with 19-inch flywheel, weighs 240 pounds. This weight includes governor, carbureter with piping, water-cooling pump and necessary piping therefor. The engine is of the single-cylinder type having 5 brake horse power actual at 750 revolutions per minute. It is located in the front of the vehicle, as in the standard designs, as found best by long experience in Europe. It is mounted upon a separate spring-supported frame of its own.

Power is transmitted from the engine flywheel through a friction clutch operated by a pedal in the floor, also as in best European practice. From the friction clutch a shaft runs longitudinal of the vehicle, and carries four gears, three of them being for different gear reductions ahead, and one for reverse. The countershaft, to which they gear, continues to the rear axle, which is "live," and which it drives through the medium of very large and generously proportioned bevel driving gears. The entire gearing is incased in one cast-steel box, which includes the rear axle, and which positively insures the alignment of everything. That this construction is carefully worked out may be judged by the fact that at 4 horse power input at the friction clutch, the losses in transmission to the rear axle are only 6 per cent.

The gear reductions are respectively 15.2 to 1, 7.8 to 1, and 4 to 1, with 13.9 to 1 for reverse. These gears are thrown in by positive clutches, which are operated in a very simple manner by one lever projecting up at the side of the seat. The principle of control is much simplified, all the change gear functions being done by one lever. In order to insure positively against attempting to throw in changes of gear without disconnecting the engine or source of power, a very simple and ingenious interlock is provided, which makes it impossible to change the gear without first pressing forward the clutch pedal which disengages the friction clutch on the engine flywheel.

The friction clutch is a plain wind-up brake faced with leather, so that all degrees of slipping can take place without danger of cutting or running dry, insuring wearing nothing more than a leather band. This is of ample proportions so as to prolong the life before the new leather has to be put in.


The speed of the engine is controlled by a governor. This governor operates a valve in the suction pipe. In the suction pipe beyond the governor throttle is the aspirating carbureter, so arranged that when the governor throttle opens and permits a vigorous suction a larger amount of gasoline aspirates, or when the governor throttle, by partially closing the suction pipe, reduces the vigor of the engine suction, less gasoline is aspirated. This insures a uniform quantity of gas mixture at all engine speeds.

The engine is speeded beyond its normal by means of a foot pedal control, and the ignition is automatically advanced or retarded by the engine according to its speed, so that the maximum effect is always produced from whatever charge the governor permits the

engine to get. The ignition is by the secondary current and jump spark. The primary current was generated from four cells of a special dry battery.

In the recent 500-mile run, when the climatic and road conditions were as severe as they are ever likely to be in this latitude, it was found that 14.4 miles were obtained per gallon of gasoline, the load being 2,040 pounds, including the weight of two passengers, heavy wraps and baggage.

The best average speed on this trip was 23 miles per hour, made on the west side of the Connecticut



A NEW COLUMBIA GASOLINE RUNABOUT.

River, between Hartford, Conn., and Springfield, Mass., over roads that were a succession of grades.

The vehicle ran continuously for forty-one hours, with but one stop of fifteen seconds. The trip was up one side of the Connecticut River from Hartford, Conn., and back on the opposite side, over roads nearest to and parallel with the river. Altogether, it was quite a successful trial, and proved the capabilities and economy of this type of vehicle perfectly.

SAN GIMIGNANO AND ITS TOWERS.

Massimo d'Azeglio has well said that San Gimignano is the Pompeii of the middle ages. It lies on the railway between Florence and Siena, and is beautifully situated on a hill. Like most of the cities of the Latin peninsula, it had its origin in Roman times, and in the tenth century we begin to hear of the sturdy little city, and a century or two later it was really an independent state of ten thousand inhabitants. The year 1276 marks the apogee of its political life, and



THE TOWERS OF SAN GIMIGNANO, ITALY.

the city, as we see it to-day, dates largely from this time; but in 1353 it suffered terribly in consequence of the dissensions of the leading families who belonged to the opposite political parties, and at last it became subject to Florence.

There is no town in Tuscany which presents so faithful a picture of Dante's time, and nowhere can we obtain a clearer insight into the rich development of Italian art in the earlier years of the period which

preceded the Renaissance. The tranquil architecture of the thirteenth century has not lost its freshness, and the multiplicity of the noble edifices and an air of sumptuousness on a small scale all aid in making it a delightful spot to visit. It is truly what the French call a "strong place," with its crenelated walls and towers. The towers make the city look like some Eastern town with lofty minarets, and their effect is most striking. There were originally fifty towers, but now only thirteen remain, so that the reader can imagine what it must have looked like in the middle ages.

These towers were built for defense by various families during the turbulent times when Guelphs and Ghibellines fought each other gratuitously. Adjoining the Palace is the Torre del Comune, 331 feet high. It had a mark part way to indicate the height beyond which the citizens were not allowed to build, according to a sumptuary law. The city, which now has 8,200 inhabitants, is a charming one to visit, although tourists seldom make stops there. New York, with its high buildings, really resembles San Gimignano at certain times in the twilight or in a light fog, and the skyline is most picturesque in both instances.

Experiments on Transmission of Malaria by Mosquitoes.

A few months ago Drs. L. Sambon and G. C. Low, of the Tropical Medical Institute of London, decided to establish themselves in the Roman Campagna, near Ostia, for the purpose of

studying the question of the propagation of malaria by mosquitoes. The malarial season lasts from May to the end of October, and it was during this period that the experiments were carried out. In this region no one can remain even for one night without the risk of contracting malarial fever of a very violent type. The doctors took no medicine of any kind, but simply adopted the precaution of retiring every night, one hour before sunset, to a specially constructed hut, in which it was impossible for the mosquitoes to enter; and they did not come out before one hour after sunrise. In this way they entirely escaped being bitten by the mosquitoes, which, as is well known, only seek their food at night. The British Medical Journal states that the experiment has furnished conclusive results as to the propagation of malaria by mosquitoes. On the 13th of September, Prof. Grassi, accompanied by a number of scientific men, visited the two English physicians, and found that they were able to exist in perfect health in the midst of a population decimated by malaria. They showed, therefore, that it is only necessary to avoid being bitten in order to escape contagion. The experiment, however, being of a purely negative character, it was desired to make further proof and show that the malaria would be produced in a perfectly healthy person, if bitten by mosquitoes containing the germs of the malady. This idea was also carried out. A collection of mosquitoes, which had been in contact with malarial patients at Rome, was prepared by Prof. Bastianelli, and sent to Dr. Manson at London. One of the sons of the latter offered himself as subject of experiment. Although he had never, since his infancy, been in a malarial country, he became infected and thus furnishes a striking proof of the transmission of malaria by mosquito bites.

Prof. R. T. Fessenden, of the United States Weather Bureau, is making experiments with wireless telegraphy on the southern coast. Stations will be established at Capes Hatteras and Henry and at other coast points north of Cape Hatteras. It is the government's intention to communicate storm warnings to vessels at sea off this dangerous locality. It is also intended to send storm signals to life-saving stations when the wires are disabled. If the tests are successful, the entire coast will be similarly equipped.

TREES AND PLANTS OF SOUTHERN CALIFORNIA.

BY PROF. CHARLES F. HOLDER.

The cacti of Southern California are equally striking. Here all the choice hothouse specimens of the East are seen out-of-doors, standing the occasional cold winter nights without perceptible effect, and giving the impression that the cold is not so severe as it seems. In Fig. 1 a California cacti garden is shown, similar to several in Pasadena, Coronado, and Los Angeles. Here is the huge candle cactus so common on the Mexican and Arizonian deserts, and many more affecting curious and grotesque shapes; but the common cactus of the country is the *Opuntia*, or prickly pear (Fig. 2), of which there are one hundred and fifty species. One large form, called the tuna, may be seen growing effectively near San Gabriel. The leaves are enormous, and the plant is sixteen or seventeen feet in height. This

cactus was planted as a hedge around the old mission of San Gabriel, described by the writer in a previous number of the *SCIENTIFIC AMERICAN*. The cacti are not beautiful in themselves, but they add to the attractions of the landscape, and in many localities on the mainland and on the islands off shore there are veritable forests of cactus, which in the spring are a mass of yellow bloom. The fruit of the purple prickly pear is sometimes eaten; it makes very fair wine and jelly, and has various economic values. The interesting feature of the cacti lies in their blossoms, which are often remarkable in color, perfume, and shape. Of all the family the Rainbow Cactus—*Candicans*—is most striking, each plant bearing eight or nine blossoms, four or five inches across—a veritable blaze of color. *Dasyacanthus*, covered with gray spines, a hideous object, has a splendid large flower, red and vivid yellow. *Pectinatus* has large pink blossoms four inches across.

Australia has contributed to the adornment of Southern California mesas. Fifty years ago the table lands were either barren, or had here and there groves of live oaks; but now valleys like the San Gabriel appear dotted with forests in geometrical lines and squares. These trees, tall, plume-like and of showy mien, are eucalypti from Australia, among the most valuable importations, as they are very rapid growers, and when cut grow again from the stump; when large they are magnificent specimens of trees. These trees are employed to line avenues, to form wind-breaks; they produce oil and kino, and are extremely valuable in reclaiming waste or damp places. The eucalyptus was introduced into California by the Hon. Ellwood Cooper, of Santa Barbara; and many of the one hundred and fifty species are to be found in the State to-day. The blue gum, the common form of Los Angeles, Pasadena, and other places, is one of the tallest of trees, and some noble specimens are known. One in Tasmania has been measured and found to be three hundred and thirty feet tall; and it is claimed that four hundred feet has been attained. From the seed the

eucalyptus will attain twenty-five feet in eighteen months. An eight-year-old tree at Kinneloa, near Pasadena, measured seventy-one feet in height. In Fig. 3 the eucalyptus blossom is seen. It represents the famous Magnolia Drive at Riverside, with eucalyptus trees in the center and upon the left. The tree which possibly attracts more attention in California than any other is the pepper (Fig. 4), with its beautiful lacelike mass of foliage and clusters of vivid




Fig. 2.—PRICKLY PEAR, OPUNTIA.




Fig. 3.—EUCALYPTUS BLOSSOM.



Fig. 4.—PEPPER TREE.

red berries. The pepper makes an effective shade, and is the characteristic tree of Pasadena, Los Angeles, and Riverside.

Marengo Avenue, in Pasadena, is particularly noted for its interlocking pepper trees, which, growing on either side, meet, forming a perfect arch for a mile or so. The tree is a rapid grower, and under favorable conditions attains a large size. This pepper is the *Schinus molle* of botanists, and was probably brought to California from South America. A pleasant fiction, which is sometimes explained to tourists, is that it is the tree from which pepper comes; but it is needless to say that the name arises from the pungent, peppery odor of the red berries or drupes.

The enigma of the Californian climate is still further emphasized by the banana, which is seen in many sections. It attains large size and beauty, especially the Abyssinian varieties; but they do not come to perfect fruition. The guava, tamarind, orange, lemon, lime, grape fruit, loquat, alligator pear and a score of others grow here, illustrating the possibility of tropical vegetation in a semi-tropic climate.




Fig. 1.—CALIFORNIAN CACTI GARDEN.

Change of Color Observed in Shrimp.

Two English scientists, Messrs. Gamble and Keeble, have lately published an account of the change of color produced in the case of a variety of shrimp, known as the *Hippolyte varians*, which lives among the seaweed along the borders of the coast. It has been already observed that some of the shrimps change their color according to the locality in which they live. The authors have made a careful study of the subject,

and have prepared a series of colored plates which show the different colors of the shrimp and the seaweed; thus on brown seaweed a brownish color is assumed, often streaked with small lines which imitate in a striking manner the structure of the plant. On the zosteres a green color is taken, and in each case the coincidence of color is well marked. The authors find that if a shrimp which has adapted itself to a certain color is

transferred to another, the corresponding color-change is not immediate; if, for example, the shrimp adapted to green seaweed is changed to brown, it keeps its original green color for more than a week, and at the end of that time only some of the individuals have changed their color to brown. Thus, although the color of the substratum acts upon the animal the change is slow and uncertain, which shows that the individuals which are adapted to a certain type of plant must have lived upon this from an early age and could hardly change their locality without danger. The color of the hippolyte is modified rapidly and surely when the light is made to change in intensity, but at equal intensities monochromatic light seems to have no influence upon them. Another point observed by the authors is that the hippolyte, and probably other crustaceans such as the mysis and pandalus, give singular periodic changes of color. At 9 o'clock in summer and 5 o'clock in winter the diurnal tint changes little by little and in about one hour arrives at an intense azure blue, accompanied by an almost entire transparency of the body. It seems that the hippolyte has acquired the habit of

this change, for if it is kept continuously for 24 or 48 hours in either a dim or a lighted aquarium, it none the less assumes the dark color when night approaches outside. The experiments made as to the effect of a longer time have not yet been fully realized, but the present facts remain unchanged. The movements of the chromatophores are without doubt directed by the nervous system, as has been shown, among others, by Pouchet. When the light changes in quality or intensity the starting point of the action seems to be the optical center, but the periodic change of color has its origin, not in the eyes or the optical ganglia, but in the rest of the nervous system.

It is proposed to illuminate the Yosemite Falls, 2,600 feet in height, by the use of twenty arc lights in connection with means for producing color effects. Some of the roads are also to be lighted with electricity.

THE PAIGE TYPESETTING MACHINE.

Mr. Paige first had his attention directed to the typesetting problem about 1873, and in the next year he completed a composing machine which contained no provision for justification or distribution. He then invented and constructed an independent machine for distributing the type. In 1878 an arrangement was made with the Farnham Typesetting Company, of Hartford, Conn., for a distributing machine, and a combination was formed and a contract made looking to the introduction of machines using the Paige compositor and the Thompson distributor. About this time Mr. Paige invented his combined machine to contain the principal features of his compositor together with the leading features of the Thompson distributor, the type being taken from a galley and distributed into the bottom of the inclined channels, from which channels the type were delivered to an intermediate point in their length for purposes of composition. About 1881 a machine was completed for the double purpose of composition and distribution, but without provision for justification. A new machine was built by the Pratt & Whitney Company, and as early as July, 1887, type was automatically justified in the machine. The company passed through various vicissitudes, and the machine reached Chicago in 1892. Work was again started in February, 1894, and was pursued until August, 1894, when the first machine was completed and put in operation in the office of The Chicago Herald, and it is claimed that wonderful results were obtained, but the matter had been delayed so long, and the art had advanced so much in the meantime, that it was not considered practical to build the machine.

Having given the history and romance of this remarkable patent, on our editorial page, we are enabled, through the courtesy of Mr. Philip T. Dodge, the President of the Linotype Company, who presented one machine to Cornell and the other to Columbia, to give a short account of the actual operation of this wonderful machine.

We will now briefly describe the Paige machine. Of course, only the merest outline can be given of the wonderful mechanism of this remarkable creation of the inventor. The machine was designed to use one size of type. The model machines constructed were for nonpareil type. The machine was arranged to distribute dead matter into both type and space cases automatically, to set matter from the type case by means of a keyboard, to automatically justify lines of matter by inserting between the words a space of a thickness predetermined by a series of word measurements, and to finally place the matter in galleys, solid, single or double-leaded, as desired, all of these operations being performed at the same time and in perfect harmony with each other. The type is contained in the vertical channels of the type case, which is slightly inclined to prevent the long columns of type falling to the front.

The setting is performed by a horizontal row of setter plungers, each plunger being in register with its particular channel and character. These plungers in action pass through the type channels about two inches above the lower end of type column, pushing type out from the column, upon a raceway in front.

The setting action, after the key has been pressed by the operator, is purely mechanical, being controlled by a time lock device. Depressing a key operates through a horizontal wire to a vertical detented lever. This lever supports the rear end of an initial movement plunger, the front end of which engages with the setter plunger proper. The detented lever being pushed back by the key action, the initial plunger falls in front of it, and by the return of the detented lever is given a forward motion of one-quarter of an inch. This forwards the setter plunger in exact time to become engaged by a revolving wing shaft, which completes the plunger's movement and sets the type out upon the raceway. A second wing shaft, revolving in opposite direction to the first, returns both the setter and initial plungers to position, the initial plunger being lifted, so that its rear end rests again upon the detented lever. The key is returned by the action which gives the initial movement to the plunger. One key, or as many as can be used in spelling from left to right, may be pressed at one and the same time.

The type set out upon the raceway by the plungers are collected at the left-hand side of the case by the type driver, which sweeps the entire length of the setter raceway. Here the word is completed, and measured by a mechanical device. A touch of the word key, and the word is forwarded to the word raceway. Each word is measured, and kept separated from the other. An indicator on the keyboard shows when the line is full. The line key is then pressed, which transfers the aggregate word measurement to the space-selecting device, pushes a pin, one of a circle of pins contained in a revolving disk, and returns the measuring device to its zero position, in time for the succeeding word.

The space case is located at the left end of the ma-

chine, and arranged in the same general manner as the type case.

The line of separated words traverses the word raceway until the space case is reached. Each word is then carried across the front of this case by a long movement of the comb or conveyer. It is while the comb is returning for another word that the space is set out from the case; the next word forwarded, carries this space with it into the line. This continues until the line is formed, perfectly justified, upon a slide located over the setter galley. Concurrent with the assembling of the last word into the line, the pin, previously set by the line key action, engages to retract the slide under the line, and push the line down into the setter galley, single or double leads being inserted as desired. This continues until the galley is filled, indicated by an alarm, or until copy is exhausted.

The space case holds spaces of eleven different sizes. To determine the thickness of space necessary to justify a line, the measure of each word, as it is being set, is successively recorded upon a sliding bar. With the last word of the line measured, the bar has moved to the aggregate of the words contained in the line. Concurrent with each word set, pin blocks moving in an endless chain, and containing eleven sliding pins each, have been advanced step by step, so that when the line is finished a block for each word it contains has been moved into a position to engage with a plate, having raised blocks arranged in combination upon its surface. Twelve of these combination plates are contained in a horizontal grooved box. The plate to be advanced from this box to a position under the pin blocks is determined by the number of words contained in the line. The distance which it must be advanced that the proper combination of blocks may engage with, and set the pins in pin-blocks, is determined by the measure of the line recorded upon the sliding bar. The blocks and plate being in position, a slight vertical movement engages the two. Pins coming in contact with combination blocks are raised above the others. These blocks now move in unison with the line they represent, and reach the space case together, the words in front of the case, the pin-blocks at the rear. The space setter plungers are operated by a row of eleven vertical levers, engaging at the bottom with the plungers, and at the top in register with the pins in pin-blocks. The upper end of levers are made with a point projecting backward at right angle to the vertical, and raised slightly above the top of pins in normal position. As the first word of line is carried past the space case, the first block is moved in register with the vertical levers. A rocking motion carries the top of levers backward, engaging them with any pins previously raised by combination blocks. Any lever so arrested in its backward motion imparts an initial movement to its particular setter plunger, which sets the space out upon the raceway, to be carried along by the succeeding word into the line. Each block in turn is brought into register with the levers until the spaces are set and the line justified.

Dead matter, with leads and rules extracted, is placed in galley for distribution. A vertical movement registers the top line of type with a horizontal blade, which forwards it into a raceway. A longitudinal slide presses the end type into the cut-off, which separates it from the line, and raises it to the level of the distributor raceway, upon which it is pushed by a plunger, to be forwarded by a comb movement. The cut-off operates continuously, separating one type at a time from the line. All characters are forwarded to the right, to be distributed into the type case, while all spaces move to the left, to be distributed into the space case. A system of notches on edge of type, arranged in combination with a selecting device, enables the type to be distributed into their respective channels. The distribution is made into the bottom of the case, the column of type rising as each type is inserted. To prevent this interfering with the setting, which is performed at a point about two inches above, the distribution and setting are arranged to take place on different portions of the revolution of the machine.

Fishing With a Steam Pump.

Our French contemporary, Cosmos, describes a curious means of fishing which was discovered accidentally. It will not, of course, commend itself to sportsmen more than does the use of dynamite cartridges exploded in the water. A pond was being drained by a powerful steam-pump. Each stroke of the piston drew up about 25 gallons of water, and the pond was emptied in a few hours, and it was found that the fishes were also pumped with the water. A metal basket receives everything pumped. The water and slime escapes, and a boy collects the fish and assort them according to species and weight.

Mr. Tesla's agent has left London for Lisbon to establish a receiving station on the Portuguese coast at the fortieth parallel of latitude, which will be in communication with a Tesla transmitter located on the New Jersey coast.

Automobile News.

Motor vehicles in Holland are coming into considerable use, and the prospects for American machines are good. The machines intended for Holland should be made narrower than those built for use in America, because the roads are too narrow to permit two machines of 4 feet 8 inches in width to pass each other. Carriages must not have more than 2,220 pounds weight on each wheel.

The French Postal Administration has been somewhat behind that of other countries in organizing an automobile postal service, but a system of specially constructed electric vehicles is to be shortly put into use. One of the first of these, constructed by the Vehicle and Automobile Company of Paris, was recently inspected by M. Mougeot, Postmaster General, and other officials who expressed themselves as greatly satisfied with this type of postal delivery wagon, and it is to be tested in actual service before long.

The date of the Gordon Bennett cup race has finally been agreed upon by the different clubs, and it is officially announced for the 29th of May. The Paris-Bordeaux race has been fixed for the same day, and will be run over the same route; there will be an hour's difference in the time of starting, the competitors for the cup starting first. Their record will class them at the same time in the cup race and the Paris-Bordeaux. The start will be made from Ville d'Avray about 3.30 A. M. There are nine competitors—three English, three French, and three German. Further information as to the route and the details of the race will be given later.

A race between an automobile and an express train was lately made at Rome, in which the automobile carried off the honors. It was the result of a discussion between M. Marino Torlonia, who affirmed that his machine would beat the express from Rome to Civita Vecchia (42 miles), and Commander A. Silvestrelli, who thought the contrary, and a wager was accordingly laid. M. Torlonia, although hindered along the route by the numerous vehicles, nevertheless won the bet by arriving at the station of Civita Vecchia just in time to see his opponent descend from his compartment, and was greeted with enthusiasm by the crowd of amateurs who had assembled to watch the result.

Some further particulars have been obtained as to the automobile system which is being organized for Madagascar. It is designed for freight and passenger transportation between the coast and Tananarive, a distance of 150 miles; it is expected to cover the route in 14 hours. The road, which has only recently been finished by the government corps, has many steep grades; the average grade is given as 6 per cent. The vehicles to be used in the system have gasoline motors of 8 horse power, and can transport, besides the conductor and a mechanic, 6 passengers and 700 pounds of baggage. The concession has been obtained by a French company, who have already commenced operations and expect to have the system in running order before long. A number of skilled mechanics, recruited from the automobile factories of Paris, have lately been sent to Madagascar, taking with them the tools and pieces necessary for repairing the machine. The repair shop which will be opened at first will no doubt develop later on into a factory for the construction of machines.

The Tour of Tunis will no doubt be one of the most interesting automobile excursions of the year, as will be seen by the following programme of the route and the different sites to be visited. It starts from Marseilles on the 22d of February. The packet boat of the Franco-Tunisian Company takes the excursionists from Marseilles to Tunis, and the visit to the city and environs, Carthage, etc., lasts till the 26th. On the following day an excursion of 30 miles is made to Zaghouan to visit the ruins of the aqueduct of Carthage. March 1st, Tunis-Sousse (85 miles) will be covered, and March 2d, Sousse-Kairouan (34 miles), with visit to the mosques; 3d, Kairouan-Sfax (102 miles), visiting the amphitheater of El-Djem; 4th, Sfax-Gabes (81 miles); 5th, Oasis of Gabes, thence returning to Tunis. On the 10th, an excursion will be made to Bizerte (34 miles), with a buffalo hunt at Djebel-Ackel and visit to the lake of Bizerte, the Arsenal, etc., returning to Tunis by the 12th. The members of the caravan will find along the route the different supplies necessary, such as gasoline, oils, pneumatics, etc., and besides they will be accompanied by an automobile wagon containing pneumatics, and another belonging to the Soudan Automobile Company with different pieces and tools, as well as a number of mechanics. Among the prominent sportsmen taking part in the excursion are the Count de Chasseloup-Laubat, with a 12 horse power Panhard & Levassor machine; Etienne Giraud, with the 24 horse power prominent in the Paris-Toulouse race; Count de Chabannes, with a Serpollet steam automobile; the Commandant Cagniaut, M. Jannin, Director of Public Works, and many others.

Science Notes.

Canada still has a wild herd of buffalo. Traces of the existence of the animals were found in the woods at the west of Slave River. It was ascertained that the buffalo was being mercilessly hunted and destroyed by the Indians.

Mr. D. O. Mills has given \$24,000 to pay for a two years' astronomical expedition from the Lick Observatory to South Africa or Australia with the object of studying, under good conditions, the movement of the stars in the line of sight.

A highly reflecting metal unaffected by air or water is, of course, very suitable for specula. Such material is magnalium, or an alloy of aluminium and magnesium. It is attacked by alkalis, and therefore should not be brought into contact with them or with soap.

The Ontario government has reserved 1,400,000 acres of wild land near Lake Temagami, a great lake lying west of Lake Temiscaming, on the Upper Ottawa. This will be used as a national park where the timber will be preserved and the game will be allowed to increase. The number of beavers and deer is increasing.

An attempt is being made to free the streams of Louisiana and Florida from the water hyacinth. Hundreds of skiffs and small vessels have been caught by the water hyacinths, and are unable to get out of the streams in which they were used. The drainage canals in New Orleans are in peril, and the logging industry of Southern Louisiana is in danger of destruction. There is room for a new and successful process.

There has been an increase of nearly \$30,000 in the value of monkey skins exported from the Gold Coast, and the warnings issued by past colonial governments have been unheeded. In 1896 it was reported that during the six previous years no fewer than 884,768 skins had been exported. It is only skins that are in good condition, with few shot-holes, that are capable of being disposed of. It is estimated that during this period as many as a million of monkeys have been massacred in the Gold Coast district alone.

We have already noted the penny-in-the-slot directory. A new modification of the scheme is now on the market, in which the book, instead of being placed in a box whose cover lifts up, the covers of the book are held in rigid supports which are hinged to the top of the stand. A penny is dropped in the slot, the knob is pushed, and the directory can then be consulted. After the desired address has been obtained, the book closes and locks automatically. Each druggist is furnished with thirty slugs for opening the book for his own use, and is also given a percentage on the receipts, and a new directory every year.

A recent find of neolithic flint implements near Ratisbon is of considerable importance as tending to upset existing theories. An immense ax-head, more than a foot long and three inches broad, was found in Alsace. In the middle of one of the broad sides of the ax-head is a representation of the human form, skillfully chased and still clearly visible. The face is large and long, with clearly perceptible eyes, nose, mouth and chin, but without ears or hair; the arms and hands are extended as if in prayer. There are parallel lines crossed by others, similar to those on the neolithic burial urns found near the left bank of the Rhone, and now preserved at Worms. The figure now discovered is supposed to represent some Phallic deity of Rome or Phœnicia.

The Wholesale Seedsmen's League has issued a protest against the free distribution by the government of seeds obtainable at every seed store. It states that this is a serious perversion of an admirable scheme for the improvement of agriculture and horticulture. The government possesses vast opportunities for the collection of new fibers and grains and plants of unimported and promising qualities through the agencies of its consuls in foreign countries. The seed trade would welcome such activity on the part of the government, but it does but little of such work, while depressing the regular trade by distributing the same sort of seeds merchants expect to sell. In 1896, the free distribution of seeds amounted to 10,000,000 packets, and now it has reached 24,000,000 packets.

The excavation of the site of the church of Santa Maria Liberatrice in Rome has brought to light one of the most interesting ecclesiastical relics in the world. This is the Basilica of the Virgin, probably the oldest church dedicated to the Virgin in Rome. It has a total width of 55 feet, with a narthex and atrium occupying the inner easternmost hall of the Augusteum. It is rich in the remains of damaged and fragmentary frescoes of the eighth century, executed when the church was extensively restored by Paul I. Prof. Boni discovered on Christmas eve the mutilated fragments of an inscription of the eighth century, of which the concluding portion is still legible. It confirms the great antiquity of the building, as it states it was "old" at that time. To have been known as old in the eighth century is certainly proof of a very venerable age.

Engineering Notes.

The official returns of the commerce of France for the year 1900 show a decrease. They amount to 4,408,530,000 francs, as compared with 4,518,308,000 francs for 1899. The exports for 1900 also decrease, being only 4,078,032,000 francs, as against 4,152,635,000 francs in 1899.

Hereafter the Baltimore & Ohio Railroad will not engage engineers weighing 200 pounds or over, although those now in the employ of the company will not be dismissed for this cause. The reason for the rule is said to be the narrowing of the space for the engineer caused by the extension of the boiler through the cab of the newer types of engine, and large engineers might not be able to move rapidly enough in emergencies.

Out-of-date Parrott and other old-style army and navy guns are destroyed daily near Reading, Pa. The guns weigh from thirteen to twenty-five tons. The work is accomplished at Fox Hill, in Warwick Township, Chester County. Six men are employed in the log forts in the ravine. They make about 350 blasts a day, and tons of dynamite are used each month. The heavy timber forts are 24 feet square, and the sides are heaped high with earth. The guns are rolled into the forts from the flat cars and are drilled by steam power. The dynamite cartridges in the guns are discharged by electricity. The forts prevent the pieces from being hurled into the air.

A new firearm is being introduced into the German army. It is of rather a complicated design, but it is claimed to be a perfect weapon regarding its firing capabilities. The barrel has been made more substantial than that of the Mauser, while the soldier's hand is protected from the heat of rapid firing. The magazine is loaded from a charger, instead of the clip, the advantage of which innovation is that it can be loaded with great rapidity either from the right or left. Automatic elevating in connection with the sighting is also provided. The only drawback to the weapon is the delicacy of its construction, which will render the arm liable to derangement with rough usage.

Prof. Gustave Bischof, of the Glasgow University, has invented a new process for the manufacture of white lead. His plan is the conversion of metallic lead into litharge, by means of water gas at a temperature of 300 deg. C., to suboxide. Sufficient water is then added to moisten this suboxide, which is converted into hydrate. This substance is then inserted into a gas-tight apparatus, and by means of carbonic and diluted acetic acid manufactured into white lead. Under the old process white lead occupied from two to three months in its manufacture, but Prof. Bischof is enabled to make a purer article within less than forty-eight hours at a much cheaper price and with perfect safety to the employees. The naval and military departments have tested the product and have found it perfectly satisfactory.

The United Kingdom continues to be the chief of the foreign patrons of the Carrara quarries. According to the latest official returns, out of 161,259 tons exported 40,089 tons, or one-fourth the entire quantity, came to England. The United States may soon take the lead, for the quantity credited to them was 39,857 tons. Italy required 43,909 tons. The quarries extend from Carrara to Massa and Versilia. Altogether there are 1,264, but 793 of them are not worked. The men employed number 6,522 at Carrara, 1,100 at Massa, and 2,533 at Versilia. The last year's products are returned as having the value of 9,808,520 Italian lire. It is often supposed there is great loss of life at the quarries, but during 1898 there were only 40 serious casualties among the workers, by which 7 quarrymen were killed and 33 were injured, of whom 3 were permanently deformed and the remainder recovered. Slight casualties numbered 729.

The efficacy of the Lee-Enfield rifle, the small arm used in the British army, has been exemplified upon several occasions, while repeated experiments have been made to compare its characteristics with the Mauser arm. The latter rifle has generally been considered to be the better firearm, both in carrying and quick firing capacity. Recent experiments conducted in India, however, disprove the latter statement. The Lee-Enfield rifle carries ten cartridges in its magazine, while the Mauser carries five. The former arm, however, is generally employed as a single loader. The objects of these experiments were to determine respectively the time occupied in firing 20 rounds when used as a single loader, and when utilized with the magazine. In the first test the 20 rounds were discharged in 2 minutes 2¼ seconds. When the magazine was brought into use the same number of rounds were discharged in 1 minute 26 seconds. With the Mauser rifle, however, 1 minute 53 seconds were occupied in discharging the same number of rounds, thus showing that a more rapid fire can be maintained by the Lee-Enfield arm.

Electrical Notes.

Dr. Mayo G. Smith, who was associated with Morse in constructing the first telegraph line between Washington and Baltimore, died on February 20.

The steady growth in the number of direct-coupled generating sets has interfered seriously with manufacturers of belting.

No new single-wire telephone circuits will be allowed in Switzerland, and the companies must also convert their lines to metallic circuits and contribute toward the cost of moving the wires crossed by electric-power circuits.

At the close of the year 1899 there were in Germany 12,710 telephone offices, an increase of 1,214 during the year. The number of subscribers was 159,561, and 574,000,000 conversations took place. The service employs 6,724 persons.

Special cars are provided for visitors in Washington, by which they can obtain a general view of the many interesting things for which Washington is noted. Special cars run over the lines of the Washington Traction and Electric Company's system.

A large turbine installation is now being constructed on the Glommen River, in Norway. The falls are estimated to be of 16,000 and 10,000 effective horse power respectively. They are located about 25 miles from the capital, and the object of the undertaking is to supply Christiania and adjacent parts with electricity for lighting and power.

Rome will soon be connected with Paris by a telephone line. The work has been in progress for many months, and the Italian government has completed the installation of the wires on the Italian slope of the Alps. The French government is at work on the line on its side, and it is thought that communication between the two cities will be accomplished during the summer.

The proprietors of the sole aluminium works in Great Britain propose to appeal for an extension of their Héroult patent. The reason for this decision is not quite apparent. The company enjoys a powerful monopoly, so far as Great Britain is concerned, and it is highly improbable that they will encounter any competition in the market, owing to their being firmly established. Such an appeal is a very costly process, and the only other motive for incurring such heavy expense is the fear of acute competition from America. During recent months large shipments of the American product have been dispatched to Great Britain by arrangement with the British Aluminium Company. When the patent has expired, the American firms will not be under any restrictions, and will therefore be able to enter the open market to the detriment of the English company.

A photograph, which is said to be the largest in the world, was recently taken of the general office of Swift & Co., at the Union Stockyards, Chicago. This room has a floor area of 46,918 square feet, and here 700 clerks are employed. A large number of flashlights had to be lighted simultaneously, so that electricity was used, says The Western Electrician. A storage battery with twenty cells was installed temporarily and connected to the temporary circuit in pairs, giving a pressure of four volts and a large current capacity. Three hundred charges of flashlight powder were arranged around the room, and the fuses to ignite them were all connected in multiple to insure simultaneous ignition. A stage was built in one corner of the room for the large camera. The plate used was 4½ by 8 feet in size. A heavy plate-glass plate was coated with emulsion for the purpose. In developing it, four men were required for its handling.


Mr. W. Langdon, the superintendent of the electrical department of the Midland Railroad, of Great Britain, recently read a paper before the Institute of Electrical Engineers, upon the practicability of converting the trunk railroads from steam to electric traction, and the numerous benefits that would accrue from such a change. He contended that the utilization of electric traction for this purpose was perfectly feasible, and he was of opinion that the railroads could be worked much more economically by this means. He had obtained returns of the trains running over the main road of the Midland Railroad between London and Bedford, a distance of 50 miles, in order to ascertain the amount of current required to deal with it, and the cost of installing and maintaining the necessary generating plant. From his deductions, he discovered that the capital outlay for the installation of the plant would amount to \$2,350,000, and the annual expenditure would aggregate about \$194,800. In comparison with the cost of working the same distance by steam traction, an economy of nearly two cents per train mile would be effected by the employment of electricity. At the present time, owing to the high price of coal, the saving would be much greater. If all the railroads of the United Kingdom were to adopt electricity for the propulsion of their trains in place of steam, no less than 3,000,000 tons would be saved per annum.

THE SLABY SYSTEM OF WAVE-SELECTIVE WIRELESS DUPLEX TELEGRAPHY.

Hertz found that a spark is capable of exciting an electrical disturbance in a straight wire, which disturbance is propagated in waves through space with the velocity of light, and that these electrical waves were capable of exciting electrical disturbances in other electrical conductors which they encounter. Since the brilliant discovery of Hertz, physicists have succeeded in augmenting these effects. The electrical disturbances set up in a wire by a spark from an induction coil and transmitted ethereally to a second parallel wire through a distance of one meter are such that a spark 5 centimeters in length can be obtained from the second wire. In the dark both wires would glow with equal intensity. Hertz discovered that these phenomena could be explained by physical laws. To the electrician was assigned merely the task of intensifying the phenomena.

The electrical phenomenon exhibited by the two parallel wires is oscillatory in character and is produced by an electrical tension alternating between its positive and negative maximum value some five million times in a single second. These alternations are not equally distributed along the length of the wire. The electrical effect increases toward the free end of the wire.

If a straight steel wire be screwed at one end in a threaded socket, and the free end vibrated, oscillations of a similar character will be produced. The amplitude of the waves is greatest at the free end. Exactly the same increase of amplitude occurs in the electrically excited wire. The transmission of the electrical disturbance by wave propagation can also be clearly explained by a mechanical analogue. If the steel wire be bent to form a right angle having equal legs, and if the angle be firmly clamped to a fixed object, the disturbances excited in one end of the wire will be transmitted to the other end. The fixed point is the node, and the more strongly excited portions of the wire are the crest of the wave.




Vibration of a Steel Wire.

The motion set up in the second leg can be further transmitted. If a steel wire of six times the length of the free leg be twice bent so as to form two right angles, then at 2 and at 4 a loop will be formed, and at 3 a node. Through the fixed node, 5, the motion is transmitted to the vertical wire, *b*. Within a short time after *a* has been set in vibration *b* will begin to vibrate in unison. The transmission is effected by so-called stationary waves in the connecting steel wire. The entire length, including a wave-crest and a wave-valley, comprises a wave-length. The length of the freely-vibrating wire must be one-quarter of a wave-length—that is the underlying law of transmission. Similar conditions prevail in the electric wire. The electrical vibrations set up in the vertical wire, *a*, by means of a spark at its lower end, form a vibratory crest at the upper end of the wire, the frequency of which depends upon the length of the wire. These vibrations are propagated in the ether with the velocity of light in the form of waves, the lengths of which are exactly four times those of the electrically vibrating wire.

The second wire, *b*, placed at any distance from the first will be electrically oscillated by these waves, the oscillations being strongest if they correspond with the wave-frequency; that is, if the length of the wire be exactly one-quarter of the wave-length, and if the lower end be a node. Both conditions can always be attained; for the length can be varied at will, and the lower point can be made a node by connecting it with the earth.

A spark could hardly be obtained by contact with a metallic object, as in the previous example; for the electrical effect diminishes with the distance traversed. In order to detect this small electrical impulse, a coherer is employed, of the type used in most systems of wireless telegraphy. Evidently the coherer should be connected with that portion of the wire at which the alternations are greatest. It has hitherto been the custom to suspend the wire and to secure the coherer to its lower end, the other pole of the coherer being connected with the earth. It has been proven experimentally that the capacity of the coherer is so great that the lower end of the receiving-wire may be regarded as a node for the electrical oscillations of the wire. But since the effect is dependent upon the tension to which the

coherer is subjected this arrangement, according to Prof. Slaby, is radically wrong. No means are provided for the utilization of the maximum tension to which the receiving wire is also subjected. The fairly good results which have been obtained with this arrangement are due only to the fact that the length of the receiving wire is not exactly equal to one-quarter the wave-length and that the transmitter sends forth incidental waves besides the main waves, so that the



A DETAIL OF THE APPARATUS.

lower end of the receiving-wire may permit the formation of minor tensions.

Slaby has found that the receiving-wire must be grounded in order to form a node for the waves. At the free end of another wire of equal length connected at the node with the receiving-wire, a wave-crest will be formed of the same amplitude as that produced at the free point of the receiving-wire. The auxiliary wire can be wound on a bobbin, if it be so desired. By these means a degree of precision has been obtained which is remarkable. The new arrangement enables one to utilize as receiving-wires lightning-rods, flagpoles, and other iron uprights which are already grounded.

It has hitherto not been possible so to synchronize two stations that they would transmit and receive messages without interference from the electrical waves sent forth by other stations. Marconi is said to have solved the problem; but the means which he employs have not as yet been published.

If the length of the receiving-wire be exactly equal to one-fourth of the wave-length or to an uneven multiple of the wave-length, those waves for which the grounded point is not a node will not be received, but will be conducted into the earth. In other words, the electrical waves are sifted, and only those are received which are of the proper length. In this manner Slaby transmits and receives messages in secret.

For those waves which are exactly four times as long as the receiving-wire, the ground-point is a node,

half the wave-length. The earth-point is then no longer a true node for these waves, but permits their passage without much diminishing their effect. All other waves, however, are rejected as it were. If, for example, it be desired to receive at a lightning-rod 40 meters in height waves which are not $4 \times 40 = 160$ meters in length, but rather 200 meters in length, then the entire length of the receiving-wire must be 100 meters. In other words, we must add an auxiliary wire 40 meters in length to the lightning-rod. By this simple means it is possible to enable a station to receive waves of various lengths. It is necessary merely to provide a sufficient number of coils or bobbins of auxiliary wire and to set up receivers equal in number to those of the stations with which it is desired to communicate. For the filtering of the waves is so accurate that it is possible to receive several messages from different directions and distances with a single receiving apparatus.



In order to obtain greater accuracy and to increase the effect of the electrical waves, Slaby employs a simple apparatus consisting of a coil of wire of a size and winding dependent upon the wave-length. The coil has the property of reducing the velocity of an electrical impulse. But such a reduction of velocity results in considerably increasing the tension, for which reason Slaby calls this apparatus, for lack of a better name, a "multiplier." This apparatus is not to be mistaken for a transformer; for it has no secondary winding.

By an acoustic analogue the operation of this multiplier can be explained. A tuning-fork set in vibration by a blow is acoustically oscillated exactly as the receiving-wire is electrically oscillated when subjected to the influence of ethereal waves. But the tone produced by the fork soon fades. This diminution of sound is due to the resistance which the fork must overcome. But if the vibrating tuning-fork be placed upon a resonator, the tone becomes louder and lasts for a longer time. The property possessed by a resonator of sustaining acoustic vibrations and increasing their amplitude finds its counterpart in the power possessed by the multiplier of intensifying and refining electrical oscillations.

If a multiplier-coil be placed between the auxiliary wire of the receiving-wire and the coherer, great tensions will be obtained at the coherer; for which reason the certainty of transmission is increased. The multiplier permits the passage only of those waves to which it is attuned, as it were; all other waves, if they should by any possibility pass the node, will be reflected by the coil.

It now remains to be shown exactly how electric waves of definite length are produced at the transmitting station. Wireless telegraphy is essentially the electrical transmission of power. The transmitting apparatus which is capable of translating the largest possible amount of electrical energy into an oscillating form will evidently be the most suitable for the purpose. But to effect such a translation, not only a high tension, but also a large quantity of electricity is necessary. For this purpose a grounded transmitting loop (Fig. 2) instead of an insulated wire is used, which loop is provided with a condenser, *K*, to increase the quantity of electricity. The condenser used consists of Leyden jars. To charge these jars the entire circuit of the ribbon, including the earth, is employed; to discharge the jars only the vertical conductor, *KC*, is utilized. To prevent the passage into the earth of electrical oscillations produced at the discharge, a coil, *CD*, is fitted to the conductor, which coil not being in unison with these electrical vibrations, prevents their escape. We have seen how such a coil can act as a barrier. Electrical waves are then sent forth by the first vertical wire and are not disturbed by any counter influence exerted by the second vertical conductor, *DE*. Electrical waves thus transmitted are proportionate in length to the length of the wire employed and to the size of the condenser. By employing coils, *CD*, of various forms the length of the waves can be changed, such coils serving to vary the frequency of the oscillations. Each frequency corresponds with a certain wave-length.

In a lecture Slaby succeeded in receiving messages from stations of 4 and 14 kilometers distance with a speed of 72 letters per minute. He likewise received messages simultaneously from the two stations. His system has proven so successful that it will be developed by the Allgemeine Elektrizitäts-Gesellschaft, of Berlin.



A COMPLETE APPARATUS SHOWING THE MULTIPLIER, INTERRUPTER, RECEIVER, AND MORSE TRANSMITTER.

even though minimum tensions may occur here. If the auxiliary wire be exactly as long as the receiving-wire, then all waves which have not the requisite length will pass through the node into the earth. But these waves can also be received and conducted to an auxiliary wire if the entire length of the receiving-wire (that is, the receiving-wire plus the auxiliary-wire) be made equal to one-

Germany's Two Great Coal Regions.

BY H. L. GEISSEL.

Prof. Schulz, German Privy Councilor of Mines, and a recognized authority on European mining matters, has just given out some interesting figures on the coal deposits of the two great German mining districts. Prof. Schulz says that the Rhenish Westphalian mining region extends over an area of 60 square miles. To a depth of 700 meters there are yet available and exploitable 11,000,000,000 tons of bituminous coal; from that depth to 1,000 meters there remain 18,300,000,000 tons; and in the depth between 1,000 and 1,500 meters, well accessible under present mining conditions, there are another 25,000,000,000 tons, or, altogether to the last-named depth of 1,500 meters, 54,300,000,000 tons. Prof. Schulz expresses the opinion that science will improve our present means to such a degree that in time it will be possible to safely carry on operations at a greater depth than 1,500 meters, whereby another 75,000,000,000 tons of coal would be obtainable. Thus, the total quantity of coal still buried in the Rhenish Westphalian district amounts to 129,300,000,000 tons. Supposing the future annual output of the district should average 100,000,000 tons—that is to say, about twice the present output—the coal deposits available down to a depth of 1,000 meters would still last for 293 years, and to 1,500 meters for 543 years.

The second coal region, the Upper Silesian, is even larger. Here the carboniferous mountains reach a depth of 7,000 meters, on an area of 2,162 square miles, and the 114 workable layers have an average thickness of 170 meters. When calculating the quantity of coal workable to a depth of 1,000 meters, it must be taken into account that the carboniferous mountains generally are covered by younger layers about 200 meters in thickness, and that, when carrying on operations to a depth of 1,000 meters, about 33 1-3 per cent has to be deducted for safety constructions, loss, etc. There would thus remain, according to Prof. Schulz's estimates, a quantity of 62,800,000,000 tons of workable coal down to 1,000 meters. During the period from 1748 to 1900 there have been extracted 500,000,000 tons, thus leaving 62,300,000,000 tons to be mined. According to the Upper Silesian mining returns, the increase in the output from decade to decade has been 43.5 per cent. In 1899, when the deepest shaft was but 594 meters, the output amounted to 23,500,000 tons. Supposing that it reaches within 50 years three times the present output, the deposits down to 1,000 meters would last for 890 years, and would probably not be exhausted until the year 2790. At a depth of 1,000 to 1,500 meters there are further available 101,550,000,000 tons, and from 1,500 to 2,000 meters another 140,800,000,000 tons, the mining of which would require 1,450 and 2,000 years respectively. But, even at that time, there would yet be immense quantities of coal available, as huge deposits extend over the mountains deeper than 2,000 meters.

How the Welsbach Mantle is Made.


The "mantle" of the Welsbach light is an ash consisting mainly of the oxides of certain rare metals—lanthanum, yttrium, zirconium, etc., which are rendered incandescent by heating to a high temperature. A six-cord cotton thread is woven on a knitting machine into a tube of knitted fabric of a rather open mesh. This web has the grease and dirt thoroughly washed out of it, is dried and is cut into lengths double that required for a single mantle. It is then saturated in a solution containing the requisite oxides, wrung out, stretched over spools and dried. Next, the double-length pieces are cut into two, the top of each piece is doubled back and sewed with a platinum wire, which draws the top in and provides a means of supporting the mantle, when finished, from the wire holder. After stretching the mantle over a form, smoothing it down and fastening the platinum wire to the wire mantle holder, the mantle is burned out by touching a Bunsen burner to the top. The cotton burns

off slowly, leaving a skeleton mantle of metallic oxides, which preserves the exact shape and detail of every cotton fiber. The soft oxides are then hardened in a Bunsen flame. A stronger mantle is made upon lace-making machinery.—The Keystone.

AUTOMATIC ORE UNLOADER.

BY W. FRANK M'CLURE.

Three great automatic iron ore unloaders, the first of their kind in the world, will be in operation upon the docks of the Carnegie Company at Conneaut, Ohio,

**THE SCOOP GATHERING UP ITS LOAD.**

Harbor the coming season. The complete success of these machines will mean their general adoption along the Great Lakes, and, incidentally, the realization of the fondest hopes of many of the big dock companies. Their use at all the ports will revolutionize the ore-handling industry.

For years pessimists have prophesied that a successful automatic iron ore unloader was an impossibility. Futile attempts to build such a machine have been made from time to time in the past decade. The announcement, therefore, that Andrew Carnegie was to build an automatic ore unloader at a cost of \$100,000 occasioned no little interest.

On completing the first machine some time ago it

was found necessary to rebuild it. Additional bearings in particular were found to be needed. Each test of the machine has been more satisfactory than the former one, and when last year the Carnegie Company ordered two more machines of the same pattern completed for this season's business, at a cost of \$100,000 each, it was apparent that the steel king felt sure of their success. The three machines have now been completed. The accompanying photograph shows them, side by side, each in operation but in different positions.

The total weight of the first machine was found to be 400 tons and its height 55 feet. The all-important part of the machine is the bucket, which grasps ten tons at a single lift, or ten times that lifted by the largest ore bucket previously used. This great bucket is attached to a revolving pendulous leg, which in turn swings from a long and gigantic arm. This arm is carried forward and back upon a track, to a point above the vessel when the bucket is to be filled and to a point above the car when the bucket is to be dumped.

The bucket is first lowered part way into the vessel's hold. Next the scoop is opened and then lowered until it strikes the ore cargo and sinks deep into it. When open, the bucket has a spread of nineteen feet. The scoop is closed upon the ore by hydraulic power. It is then ready to be raised and conveyed to a point over the car into which the ore is to be dropped. Where the ore is to be placed on the stock piles, it is dropped into a trolley car which will convey it.

The automatic ore unloader is expected to take out from 90 to 95 per cent of the ore in a vessel. The bucket when below the hatch of a vessel can be swung around lengthwise, in which case it reaches about nine feet from the edge of the hatch in either direction. The small amount of ore which cannot be reached by the scoop is shoveled by hand to a point within its grasp.


In the accompanying photograph showing three machines, the big scoop or bucket of the machine in the distance is below the hatch of the vessel, reaching into the ore. The scoop of the next machine is raised to a point above the vessel, and the view nearest the reader shows the scoop after it has been conveyed and the contents dumped into a railroad car.

Four machines, side by side, can be used in the average vessel at one time. Each machine is expected to remove 300 tons of ore per hour when fully perfected. Four machines, thus unloading 1,200 tons per hour, would empty the largest vessel on the lakes in a comparatively short time. The largest cargo of ore hauled last year on the Great Lakes aggregated 7,446 gross tons. If such rapid handling of iron ore can be secured, the work of many men will be saved. One of the ore unloaders can be operated by six men. Three of this number remain in the vessel to shovel ore within the reach of the scoop. Three operate the machine. With four machines working in a vessel twenty-four men would thus do the work which usually requires 100 men.

As yet no attempts have been made to establish speed records. Otherwise the tests are reported to be very encouraging. George H. Hulett, a mechanical engineer of Akron, Ohio, is the inventor.

The Sunflower.

Dr. Harvey W. Wiley, Chief of the Division of Chemistry, United States Department of Agriculture, in a special report shows that the sunflower can be grown successfully over large areas in the United States; that it is a crop which makes a considerable drain on the elements of soil fertilizers; that one of the most valuable constituents of the plant is the oil, which exists in large quantities in the seeds; that the economic production of the sunflowers is now confined almost exclusively to Russia, where it is an agricultural industry of considerable importance; that in the United States it is grown as an ornament and for the production of seeds, which are used chiefly for poultry and bird feeding and for condimental and medic-

**POWERFUL AUTOMATIC ORE UNLOADER IN USE, SHOWING DIFFERENT POSITIONS OF THE MAIN ARM AND BUCKET.**

inal properties with farm animals; that the oil of the sunflower seed is not produced commercially in the United States; and that in the cultivation of the sunflower the methods pursued for growing Indian corn are to be followed, and the plant is capable of cultivation over almost as wide an area as Indian corn.

A PAIL FOR LIVE BAIT.

Every fisherman knows how difficult it is to keep minnows alive. If the fish are kept in a pail, the water must be constantly changed to furnish a new supply of oxygen. The difficulty thus presented of



A NOVEL LIVE-BAIT PAIL.

feeding sufficient oxygen to enable the fish to live not only for hours, but for days, has been very ingeniously overcome in an invention for which Mr. Cassius M. Fisk, of Napoleon, Ohio, has taken out a patent.

Mr. Fisk's invention is a pail which is provided with an air-chamber in its bottom and with a hand-pump secured to the side. The lower end of the pump-cylinder communicates with the air-chamber by means of a pipe; and the air-chamber communicates with the body of the pail by means of a flexible pipe. The pail having been filled with water and the minnows placed therein, the hand-pump is operated to fill the air-chamber with compressed air. Such is the pressure that the air is spontaneously supplied to the fish in the water through the flexible pipe. It is necessary to pump fresh air into the chamber only at very long intervals; for the construction of the flexible pipe is such that the air is very gradually discharged.

The inventor assures us that he has subjected his device to most severe tests. Forty fish, among them minnows so delicate that they cannot ordinarily be kept alive for more than ten hours, were placed in the pail and supplied with air in the manner described. So efficient was the apparatus that after twelve days the fish were all alive, although the water had not been changed during the interval and had become very foul. When the supply of air was at that time cut off, the fish came gasping for oxygen to the surface. The same minnows could not be kept alive in the same amount of fresh water for more than fourteen or fifteen hours.

New Compounds of Cobalt.


M. Ducru has recently presented to the Académie des Sciences the results of a series of experiments in which he has formed several new compounds of cobalt. If to a solution of cobalt containing ammoniacal salts and a sufficient proportion of free ammonia is added arsenic acid or a soluble arseniate, a gelatinous precipitate, very voluminous, is seen to form, its color being more or less violet. At the ordinary temperature these precipitates are not modified, but if the flask containing the liquid and precipitate is kept near the boiling point in a water bath, the precipitate is slowly modified; it contracts and is transformed into another of a rather dark red which microscopic examination shows to be entirely crystallized. The duration of the experiment is variable; with concentrated solutions in the proper proportion it may take but a few minutes, but with weak solutions as long as 100 to 150 hours are required. The crystalline compounds thus obtained are cobaltous salts; under the microscope they are seen as needles grouped in clusters, and sometimes in rhomboidal plates. They have a marked action upon polarized light, and belong to the clinorhombic system. They are insoluble in water and weak ammoniacal solutions, but easily soluble in the mineral acids. At the ordinary temperature they lose ammonia, but very slowly. These compounds, which M. Ducru has thus obtained for the first time, are ammoniacal arseniates of cobalt, but their composition varies. While the proportion of cobalt and arsenic is practically the same for all these products, that of the ammonium may

vary from zero to 8.6 per cent. It is not the proportion of ammoniacal salts in the solution, but the amount of free ammonia which determines the proportion. The superior limit is reached when the liquor contains 350 per 1,000 of ammonia (20 per cent strength) or 69 parts by which of NH_3 . The salt obtained under these conditions is a tri-ammoniac arseniate of cobalt, having the formula $(\text{AsO}_4)_2 \cdot \text{Co}_3 + 3 \text{NH}_3 + 5 \text{H}_2\text{O}$, which approaches the zinc salts obtained by M. Bette. On the other hand, the action of this salt upon the salts of cobalt in presence of ammonium salts (without free ammonia) gives a pale rose salt, crystallized in fine needles, in cotton-like clusters. This salt contains no ammonium, and its composition $(\text{AsO}_4)_2 \cdot \text{Co}_3 + 8 \text{H}_2\text{O}$, is that of natural erythrine; the crystalline form and grouping are the same. M. Ducru has isolated two of these salts which lie between erythrine and the first mentioned compound; the mono-ammoniac salt $(\text{AsO}_4)_2 \cdot \text{Co}_3 + \text{NH}_3 + 7 \text{H}_2\text{O}$ is formed when the solution contains 15 per 1,000 of free ammonia, while the di-ammoniac salt $(\text{AsO}_4)_2 \cdot \text{Co}_3 + 2 \text{NH}_3 + 6 \text{H}_2\text{O}$ is obtained at a concentration of 60 per 1,000. The four salts thus obtained appear to be distinct compounds and not mixtures. The experimenter intends to describe a similar series of nickel salts and also a new method of analysis for arsenic which is based upon these experiments.

A VALVE MOTION FOR SMALL HIGH-PRESSURE PUMPS.


The use of high pressures with pumps of small dimensions presents difficulties, as the valves are liable to be kept open by the pressure. To overcome this drawback, Adolph Richter, 1138 First Avenue, Manhattan, New York city, employs a special device for pressing the valves firmly against their seats during the time they should remain stationary, the valves being released shortly before they are to be shifted.

The valves are turned by means of the levers shown at the end of the elevation, each lever being connected with one suction valve and one delivery valve by links and crank arms. These levers are struck periodically by an arm on the front end of a shaft which is journaled in a slide moving together with the pump piston and provided with a pinion rolling on a stationary rack. This same shaft carries at its rear end another



SIDE ELEVATION OF THE VALVE-GEAR.

arm which at the end of each stroke operates a set of toggle levers connected with spring arms exerting an axial pressure on the valves when the toggle levers are in line with each other. The parts are so timed in operation that the axial pressure on the valves is relieved before they are turned, and after they have



PERSPECTIVE VIEW OF A ROUGH MODEL OF THE VALVE GEAR.

been turned they are pressed against their seats tightly, thus allowing high pressures to be obtained without danger of leakage.


The Bressa Prize.

The Académie Royale des Sciences de Turin announces that a Prix Bressa of 9,600 francs (\$1,920) is open to competition among investigators and inventors of all nationalities. The prize will be awarded to the person who, in the opinion of the Academy, made the most brilliant or useful discovery in the four years 1897-1900, or who produced the most celebrated work in pure or applied science. Works intended for consideration in connection with the prize must be sent to the president of the Academy before the end of next year. The contest will close December 31, 1902. The right is reserved to award the prize to an investigator whose work is considered to be the most worthy of the honor, even though he does not submit an account of it.

A NEW BOOK OR COPY HOLDER FOR TYPEWRITERS.

The difficulty of holding books, loose sheets, or documents used by public speakers, copyists, and typewriters is overcome by means of a holder recently patented by Burgess T. Montgomery, of 752 Ninth Street, Washington, S. E., D. C.

The device comprises a rotary pedestal which car-



THE MONTGOMERY COPY-HOLDER.

ries parallel supporting-rods. On these rods the book-holder is slidably mounted. In order to hold the book open (particularly a thick book), two spreaders are employed, one for the bottom, one for the top, of the page. One spreader is mounted on the book-holder, and the other on the parallel supporting-rods above the holder. The essential feature of each spreader is an axial rod passing through a bearing in a line at right angles to the plane of the book-holder, the rod having two bearing-arms offset to the same side of the axial center, so that when rotated about the center the arms will both pass off the book to allow the page to be turned. The axial rod of each spreader is longitudinally adjustable to accommodate books of different thicknesses.

Pivoted leaves or wings at the bottom of the holder form extensions for books of various sizes and thicknesses.

Another feature of the invention which deserves to be mentioned is a line-spacer or indicator pivotally mounted on a side-rod between two friction-clamps.

From the two parallel supporting-rods extending upwardly from the base an arm extends outwardly, which carries an electric incandescent lamp, so that the copy can be illuminated, if it be so desired.

The holder has every motion that can be demanded by the copyist or reader, and is provided with means for receiving all kinds of copy, thick or thin, long or short.

The Current Supplement.

The current SUPPLEMENT, No. 1314, is commenced by a most interesting article on the maple sugar industry, accompanied by engravings showing the tapping of trees and the boiling of sirup. "Dock Equipment for the Rapid Handling of Coal and Ore on the Great American Lakes" is the continuation of an important article. "Some Links Between Natural History and Medicine" is by J. Arthur Thomson. "Progress of Agriculture in the United States" is by George K. Holmes. "A Model System of Water Works" is by F. O. Jones, and is accompanied by working drawings. The usual trade suggestions from the United States Consuls and Trade Notes and Receipts are published.

Contents.

(Illustrated articles are marked with an asterisk.)

Automobile, gasoline*.....	148	Notes and queries.....	155
Automobile news.....	150	Ore, unloader*.....	153
Bait, pail for live*.....	154	Patent decision.....	146
Book holder.....	154	Patent with a history.....	147
Bressa prize.....	154	Phonograph records, permanent	147
California trees and plants*.....	149	Pollok plants.....	147
Coal regions, Germany's.....	153	San Gimignano*.....	148
Cobalt, compounds of.....	154	Science notes.....	151
Electrical notes.....	151	Shrimps, changes of color in.....	149
Engineering notes.....	151	Star, new in Perseus.....	156
Fishing with steam pump.....	150	Supplement, current.....	154
Ingenuity, triumph of.....	156	Telegraphy, Slaby, system.....	146
Inventions, index of.....	147	Telegraphy, Slaby, wireless*.....	152
Malaria, transmission of.....	148	Typesetting machine, Paige*.....	150
Mantle, Welsbach.....	153	Valve motion for pumps*.....	155

RECENTLY PATENTED INVENTIONS.

Vehicles and Their Appliances.

BICYCLE-SUPPORT.—JAMES NEUBIGGING, JAMES EASTON, and JAMES BELL, Victoria, B. C., Canada. The bicycle-support consists of a head clamped to the lower brace of the bicycle-frame, to which head legs are loosely pivoted so as to be capable of spreading. The legs are provided with extension-arms at their fulcrum ends. A transverse locking member connects the extension-arms; and a retaining device holds the legs. In using the support, the legs are allowed to swing forward and are then firmly engaged with the ground by drawing the bicycle slightly backward. To disengage the legs, the bicycle is pushed ahead and the legs swung rearwardly and upwardly into engagement with the retaining device.

PLATFORM-WAGON.—TIMOTHY B. BENEDICT, La Grange, Mich. This platform farm-wagon is made much lower than the ordinary platform-wagon of the same height of wheels, whereby a load can be conveniently and quickly placed upon the platform. The vehicle is light, yet strong. Ordinary axles, bolster-blocks, bolster-hounds, reach, and sway-bar are dispensed with. The weight of the vehicle is equally distributed at the corners, and is equally supported at the wheels, which are beneath the corner portions of the platform. Each wheel is provided with a separate axle. Between the front axles a coupling is mounted. The tongue or pole permits the vehicle to be turned short with safety, and can be freely moved from side to side or up and down.

BICYCLE-FRAME MEMBER.—JAMES H. SULLIVAN, Cairo, Egypt. This invention provides an improvement in forks for bicycles. Tubular lower members and tubular upper members comprise the fork. The upper members are semi-cylindrical. A clamping-crown or block engages the members at the lower side, and has collars at its ends to embrace the lower members of the forks. A sleeve engages the members at the bend, and has portions extended through the collars and then turned outward. A latch turns outwardly. By the methods of fastening the members in the device as described, no brazing or soldering is necessary.

Mechanical Devices.

AIRSHIP.—ARISTARCHUS F. HUBBARD, Simmler, Cal. The airship has an air-plane adapted to transverse pivots at each end of the ship, each pivot being located at the edge nearest the center of the ship. Between the air-planes is a mast over which a rope extends attached to the outer end edges of both air-planes and then extending beneath the air-planes within the body of the ship. The planes are swung positively and their angular directions are maintained by means of drums to which the ends of the rope are attached. The air-planes control the vertical position of the ship. When it is desired to elevate the ship, the air-planes will be thrown into such a position that their forward edges are higher than their rear edges. When it is desired to descend, the air-planes will be oppositely adjusted.

SCUTTLE-LIFTER.—GEORGE BICKELHAUPT, Manhattan, New York city. The object of this invention is to provide a scuttle-lifter which can be easily opened or closed and automatically and securely locked in closed position. A lever has sliding connection at one end of a guideway on the skylight or scuttle. When a swinging motion is given to the lever a corresponding movement is given to the scuttle. A catch is carried by the lever to engage the guideway and to hold the scuttle in the position to which it has been raised. A latch locks the closed scuttle to its frame, with which latch the catch is operatively connected. A rope operates the latches to unlock the scuttle before it is opened by the lever.

WHEELWRIGHT'S IMPLEMENT.—MICHAEL M. MAY, Rulo, Neb. This invention is a novel machine for holding vehicle-wheels during the application of the tire, for permitting the wheels to be submerged in a tank immediately after the tire is placed in position, so as to cool the tire and shrink it on the felly. The machine is also useful for truing wheels and to prevent the dishing of wheels during the application of the tire.

CENTRIFUGAL MACHINE.—ANDREAS FREITAG, Amsterdam, Netherlands. Centrifugal separators are usually driven by belt and pulley. Water turbines and electric motors, however, have been applied directly to the separator shafts, thereby enabling the separators to be arranged in groups. With the driving belt, it is evident the machines must be arranged in rows. But the driving of centrifugal separators by electricity or by turbines is not readily applicable to existing machines, as in most cases the cost is considerable. The present invention attains the end by constructing the rotary bowl with buckets into which stationary nozzles discharge water. A trough receives the water; and a pump removes the water from the trough and discharges it again through the nozzles.

SELF-LOCKING PULLEY-BLOCK.—JOSEPH O. WALTON, 211 East Forsyth Street, Jacksonville, Fla. Mr. Walton has endeavored to secure the advantages of a rolling surface above a cramping pulley by which the rope is freely fed into the cramping groove, and also the advantages of a stationary binding surface to secure a positive lock. To this end his invention consists in combining with the cramping pulley a binding surface which rotates through the first part of the cramping action to allow the

rope to be freely fed into the cramping groove and which locks and becomes stationary at the last part of the cramping movement so as to form a positive lock, thus securing the advantages of both forms of the device without the disadvantages of either.

Miscellaneous Inventions.

CROSS-HEAD FOR MINE-SHAFTS.—JOHN T. SEMMENS, Bald Mountain, Colo. The cross-head is arranged automatically to be locked, during its ascent or descent in its guideways to the hoisting cable, and to be automatically unlocked when its lowermost position has been reached so that the hoisting cable and its bucket may descend further into the mine-shaft.

FOLDING-CHAIR.—ADAM COLLIGNON, Westwood, N. J. The chair is a steamer-chair, each side bar of which has a longitudinal slot and one or more recesses in the lower wall of the slots. A back has downwardly extended members provided with pins passed through the slots in the side bars. The pins have heads to engage the outer side of the side bars to prevent their spreading. Legs are pivoted to the forward portions of the side bar. Stops limit the rearward movement of these legs; and arms are pivotally connected with the forward legs and with the back of the chair. By means of the recesses and pins the back of the chair is firmly held in its adjusted position. In folding the chair the front legs are carried up and back, whereupon the arms fall down almost parallel with the seat frame.

TRACER.—HENRY M. ENRIGHT, Manhattan, New York city. The primary purpose of the invention is to provide a means for folding and closing the tracer-wheel so that the entire device may be carried in the pocket without danger of tearing the cloth. The tracer-wheel is journaled in one end of a shank; and at opposite sides of the shank, plates are hinged. These plates are arranged to form a handle and to inclose the shank and tracer-wheel between them.

MAIL AND PACKAGE DRAWER.—PAUL P. I. FYFE, Concord, N. C. The drawer is constructed in two sections adapted to slide one within the other. For the sections of the drawer a casing is provided, which is so located that parcels can be placed in a section of the drawer outside of the building and removed at the inside of the building. The drawer has an outside combination lock connecting the two sections with the casing. If one not familiar with the combination attempts to open the drawer an alarm will be sounded.

EGG-TESTER.—CHARLES S. JEWELL, Rahway, N. J. The egg-tester comprises a casing having openings in its opposite side walls, and a runway extending between the openings. Through these openings the light of a lamp passes. The runway is inclined downward from its inlet to its outlet end, so that the eggs roll in the runway. As the egg passes along the runway it is viewed through one of the openings formed in the end of the casing. It is well known that a good egg is translucent when held to the light; that a bad egg is opaque.

SACK-HOLDER.—FREDERICK D. BLANCHARD, Lewiston, Minn. By means of this improved construction, the holder automatically adjusts itself to the length of the sack. For this reason the sack can be entirely filled, thus avoiding refilling. The holder will support a sack which has no hem. But little space is required for the device. The filling of bags is greatly facilitated.

CURTAIN-POLE RING.—JOHN KRODER, 270 Canal Street, New York city. The curtain-pole ring is split and has a hub to engage the ends. Integral retaining ends shaped as frustums of cones are carried on the ends. The hub has its ends tapered outwardly. The walls of these ends are contracted and reduced upon the ends of the split ring so as tightly to embrace the retaining heads and thereby prevent the split ring from opening. The ends of the split ring are held in position in the hub without the use of solder or other similar fastening means.

BICYCLE-BRUSH.—PEMBERTON DUDLEY, Philadelphia, Pa. In a baseboard, rollers are mounted which receive the bicycle-wheel. In the bottom and side walls of this baseboard, brushes are so mounted that they engage the tread and sides of the tire. Upon rotating the wheel the brushes clean the tire.

Designs.

BRACKET.—WILLIAM M. SCHRADER, Bucyrus, Ohio. The bracket supports a turpentine vessel beneath a hen roost in such a manner that parasitical insects must pass into the turpentine before they can reach the hens, and are, therefore, exterminated.

HALTER RING.—JAN BERGEL, Dawson, N. D. The leading feature of this design consists of a straight member at one side, opposite which are converging straight members. Between these members are opposite inwardly curved members.

HARNESS HANGER HOOK.—JOHN STAGG, Paterson, N. J., and ARTHUR H. SPEAR, Manhattan, New York city. The hook consists of an elongated body portion having tongues at the ends inclined in opposite directions. The hook is to be used in fire-engine houses, and by reason of its peculiar construction the harness can be immediately dropped on the horses.

NOTE.—Copies of any of these patents will be furnished by Munn & Co. for ten cents each. Please state the name of the patentee, title of the invention, and date of this paper.

Business and Personal Wants.

READ THIS COLUMN CAREFULLY.—You will find inquiries for certain classes of articles numbered in consecutive order. If you manufacture these goods write us at once and we will send your name and address to the party desiring the information. **In every case it is necessary to give the number of the inquiry.**

MUNN & CO.

Marine Iron Works, Chicago. Catalogue free.

Inquiry No. 97.—For manufacturers of ice-making machinery.

Catalogue of ice-making machinery of the latest pattern can be had from the York Mfg. Co., York, Pa.

Inquiry No. 98.—For manufacturers of laundry machinery.

Up-to-date laundry machinery manufactured by the Troy Laundry Machinery Co., Ltd., 258 Broadway, New York.

Inquiry No. 99.—For manufacturers of wire crimping rolls.

"C. S." Metal Polish. Indianapolis. Samples free.

Inquiry No. 100.—For channel iron or steel suitable for rails of iron fencing, $\frac{1}{4}$ inch by $\frac{3}{4}$ inch, weighing about $\frac{1}{2}$ pounds per lineal foot.

WATER WHEELS. Alcott & Co., Mt. Holly, N. J.

Inquiry No. 101.—For machinery for manufacturing shovels and spades.

Yankee Notions. Waterbury Button Co., Waterbury, Ct.

Inquiry No. 102.—For the address of the "Strowyer Automatic Telephone Exchange."

For bridge erecting engines, J. S. Mundy, Newark, N. J.

Inquiry No. 103.—For deflated toy, rubber, gas balloons.

Everlasting monuments of white bronze made by the Philadelphia White Bronze Monument Co., Philadelphia, Pa.

Inquiry No. 104.—For the manufacturer of the "Pennsylvania" high-wheel lawn mower.

Gear Cutting of every description accurately done. The Garvin Machine Co., Spring and Varick Sts., N. Y.

Inquiry No. 105.—For manufacturers of chemical fire engines.

Ten days' trial given on Daus' Tip Top Duplicator-Felix Daus Duplicator Co., 5 Hanover St., N. Y. city.

Inquiry No. 106.—For automatic numbering machines with six wheels.

Rigs that Run. Hydrocarbon system. Write St. Louis Motor Carriage Co., St. Louis, Mo.

Inquiry No. 107.—For manufacturers of twisted wire goods.

A fine line of coffee mills manufactured by Logan & Strobbridge Iron Company, New Brighton, Pa.

Inquiry No. 108.—For typewriter adding machines.

Palmer Brothers, Mianus, Conn. Gasoline engine catalogue on request.

Inquiry No. 109.—For friction clutches, preferably a run clutch.

Volney W. Mason & Co., friction pulleys, clutches and elevators, Providence, R. I. Catalogue on request.

Inquiry No. 110.—For machinery for mixing and filling cans of baking powder.

The celebrated "Hornby-Akroyd" Patent Safety Oil Engine is built by the De La Vergne Refrigerating Machine Company. Foot of East 138th Street, New York.

Inquiry No. 111.—For machinery for making medicinal tablets by compression.

The best book for electricians and beginners in electricity is "Experimental Science," by Geo. M. Hopkins. By mail, \$4. Munn & Co., publishers, 361 Broadway, N. Y.

Inquiry No. 112.—For devices to cut up French fried potatoes.

For woodworking machinery of all kinds, The Fay & Egan Company, Cincinnati, O.

Inquiry No. 113.—For manufacturers or patentees of India rubber substitutes.

Send for catalogue of candle-making machinery. Homan & Co., Cincinnati, Ohio.

Inquiry No. 114.—For complete saw-mill outfits.

Saw-mill machinery and outfits manufactured by the Lane Mfg. Co., Montpelier, Vt.

Inquiry No. 115.—For seamless steel tubing $\frac{1}{4}$ to $\frac{1}{2}$ inch bore.

Turbine Water Wheel catalogues on application to Christiana Machine Co., Christiana, Pa.

Inquiry No. 116.—For a buttonhole moistener and opener, preferably Miller Bros.

Wanted—Revolutionary Documents, Autograph Letters, Journals, Prints, Washington Portraits, Early American Illustrated Magazines. Correspondence Solicited. Address C. A. M., Box 773, New York.

Inquiry No. 117.—For manufacturers willing to make wire novelties on order.

Machinery for twisting wire into all shapes and forms manufactured by Blake & Johnson, P. O. Box 7, Waterbury, Conn.

Inquiry No. 118.—For handles for rubber stamps.

Rushton Boats and Canoes. Morris Canoes. The H. & D. Folsom Arms Co., 314 Broadway, N. Y.

Inquiry No. 119.—For meteorological instruments.

Building plot 41 feet wide for sale; on Greene Street; old buildings; suitable for improvement. E. A. Cruikshank & Co., 143 Broadway, N. Y.

Inquiry No. 120.—For foot or hand power emery grinder with attachment for sharpening lawn mower knives, or such an attachment for an ordinary grinder.

Wanted. Pan Am. Exposition Patent Novelties suitable for souvenirs. Address J. M. B., 330 B'way, N. Y.

Inquiry No. 121.—For centrifugal gold-separating machinery.

Finest quality steam automobiles made in the world. Write Rochester Cycle Mfg. Co. Rochester, N. Y.

Inquiry No. 122.—For machinery for making excelsior.

Inquiry No. 123.—For manufacturers of small iron chain.

Shipping, weighing, dragging, quarrying and rafting chains made by the J. B. Carr Co., Troy, N. Y.

Inquiry No. 124.—For machinery for powder mills.

Inquiry No. 125.—For an automobile lawn mower (gasoline preferred) with detachable roller.

Inquiry No. 126.—For manufacturers of cigarette cardboard boxes.

The Rochester Folding Box Co., Rochester, N. Y., make the daintiest designs in cardboard boxes of all kinds.

Inquiry No. 127.—For manufacturers of merry-go-rounds.

Gillie Engine & Machine Co., Tonawanda, N. Y., steam riding galleries and whirling panoramas. Catalogues on request.

Inquiry No. 128.—For flexible steel ladder suitable for portable fire-escapes.

Inquiry No. 129.—For machinery for making fire-works.

Inquiry No. 130.—For electrically operated tools for lettering, carving and surfacing on granite or other stones.

Inquiry No. 131.—For machinery for the manufacture of brooms.

Inquiry No. 132.—For electrical, air beer pumps.

Inquiry No. 133.—For hand dynamos for experimental purposes.

Inquiry No. 134.—For manufacturers of leather link, for link and pin type of the flexible leather-link coupling.

Inquiry No. 135.—For machinery to manufacture fine emery cloth.

Inquiry No. 136.—For miniature arc lamps for alternating current with about $\frac{1}{4}$ -inch carbon.

Inquiry No. 137.—For manufacturers of aluminum boxes.

Inquiry No. 138.—For manufacturers of telephone parts and appliances.

Simplex Interior Telephone Co., 431 Main Street, Cincinnati, O., manufacturers of telephone parts and accessories.

Inquiry No. 139.—For spring-hinges, locks and accessories for making show cases.

Inquiry No. 140.—For tachometers for giving directly the R. P. M. of a shaft, to be used in dynamometer tests of electric motors.

Inquiry No. 141.—For carpet cleaning machinery.

Inquiry No. 142.—For manufacturers of woven-wire willing to estimate on 24 miles of fencing.

Edward Darby & Sons, 233 Arch Street, Philadelphia, Pa., manufacturers of durable wire fencing.

Inquiry No. 143.—For a machine to straighten cold rolled round and square iron and steel shafting $\frac{3}{4}$ inch to $1\frac{1}{4}$ inch.

Inquiry No. 144.—For railroad track inspectors' tricycles, operated by gasoline or other motive power.

Notes & Queries

HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters or no attention will be paid thereto. This is for our information and not for publication. **References** to former articles or answers should give date of paper and page or number of question. **Inquiries** not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and, though we endeavor to reply to all either by letter or in this department, each must take his turn. **Buyers** wishing to purchase any article not advertised in our columns will be furnished with addresses of houses manufacturing or carrying the same. **Special Written Information** on matters of personal rather than general interest cannot be expected without remuneration. **Scientific American Supplements** referred to may be had at the office. Price 10 cents each. **Books** referred to promptly supplied on receipt of price. **Minerals** sent for examination should be distinctly marked or labeled.

(8075) C. H. asks: 1. How many accumulators are necessary to give off 30 amperes for 12 hours at 50 volts pressure, and what size? A. A good storage battery of 25 cells, each cell with 11 plates, about 11 inches square, will give about 400 ampere hours of discharge, provided the discharge is not more rapid than 50 amperes per hour. 2. About how many pounds of wire and what number are there on a 50-volt, 50-light generator at 16 candle power? A. Approximately 15 to 20 pounds on armature, and 50 to 60 pounds on field, according to type of machine. The sizes used would also vary, 18 to 20 on field, and 12 to 16 on armature. If you wish more exact information, cut out a bit of the wires and gage them. Measure the resistance of the field and from a wire table get the length by means of the number and resistance. The table will give the feet per ohm for the number. To find the length of wire on the armature, count the number of turns in one coil and determine the length of wire in one coil as closely as possible. From this the quantity of wire on the armature can be calculated.

(8076) E. M. J. asks: Have you any rule or formula for making induction or X-ray coils giving sparks? The rule I want is one by which I can find the size of the core, the amount of primary and secondary wire to be used to get any desired spark. A. There is no recognized rule or formula for finding the dimensions of an induction coil for a given length of spark; or rather every maker of coils has his own formula and does not disclose it. Nor are any two the same. You will find the dimensions of a large number of coils given in Bonney's "Induction Coils," which we can send you by mail for \$1. SUPPLEMENT No. 1124, price 10 cents, gives full plans for a coil giving a 6-inch spark.

(8077) H. G. writes: I would like to know what a pair of hoisting engines will lift, size of the cylinder 20 by 32 inches, with an 80-pound steam pressure. Will you please show me how to work it? A. Find the actual horse power of the engine from the cut-off, mean steam pressure and speed as usual for steam engines. Multiply the horse power by 33,000, which will give the pounds that the engines will lift 1 foot in 1 minute. Divide this by the height in feet for the number of pounds it will lift the height in a minute, from which should be deducted the friction of the hoisting machinery. For example: 100 horse power engine $\times$ 33,000 = 3,300,000 foot pounds. If to be lifted 50 feet in one minute, then $3,300,000 \div 50 = 66,000$ pounds, one-third of which should be deducted for machinery friction, leaving 44,000 pounds or 22 tons lifted 50 feet per minute.

(8078) C. C. asks: A boat using sufficient power to attain a speed of four miles

an hour in still water, what would be the speed per hour, using same amount of power, going with the current, current running four miles per hour? A. The boat will have its own speed added to the velocity of the current, and will make 8 miles per hour, as measured on the shore, and in the contrary direction can only hold her position against the current.

(8079) F. S. R. asks 1. Is the simple motor described in your issues of December 8 and 15 to be run with one or more dry batteries? A. The diagram of the electrical connection shows four cells, two series of two cells each, used to run the motor. Dry batteries will not answer. 2. I have used No. 27 sheet iron, 8 feet in armature and 32 feet in field magnet; does this affect its running? A. The difference is that you have used a thinner sheet iron, and will not have so much weight of iron in the field and armature; hence you will have less magnetism and less power. There is no reason why the motor should not run with lighter fields. It will not run so heavy a fan. 3. How does the current revolve the armature? A. If the current is sent through in one direction, the armature turns in one direction; if in the other, the direction of the rotation is changed. If the direction of rotation is not as you wish it, change the wires which lead into the armature so as to reverse the current in the armature, leaving the field unchanged. The same can be accomplished by changing the direction of the current through the fields.

(8080) P. A. S. asks: 1. By what process may clam shells be softened so that they may be flattened without breaking? A. Clam shells cannot be softened so they can be flattened. 2. How can celluloid be made plastic so that it may be flattened? A. Celluloid can be softened and moulded by pressing under heated oil. 3. Why does the dissolving of NH_4Cl in water (as in making batteries) produce a lowering of the temperature? A. The simple solution of any substance in water is accompanied by a cooling of the water. This can be shown with common salt or sugar. It is very evident with ammoniac chloride, and still more so with ice. It ought not to seem strange that this should be so, since heat is the means of dissolving the solid in all these cases. When no chemical action accompanies the mixing of a substance with water, the solution of it in water is always accompanied by an absorption of heat, a cooling of the water. Sodium sulphate dissolved in hydrochloric acid causes a fall of temperature far greater than the melting of ice can cause.

(8081) F. T. P. asks: 1. What is the temperature of liquid air? A. 312 deg. F. below zero. 2. How and by what kind of an instrument is it found? A. It is measured by a platinum thermometer. This depends upon the fact that the electrical resistance of pure metals is proportional to their temperature above absolute zero, and would have no resistance at absolute zero. See SCIENTIFIC AMERICAN for April 2 and April 23, 1898, price ten cents each. 3. Where could I find a good article upon the subject of liquid air? A. We can send you ten good articles on the subject for ten cents each. Also a good book, Sloane's "Liquid Air," price \$2.50 by mail.

(8082) H. O. P. writes: Please inform me as to what an alum cell and bromide cell are, which are mentioned in your book, "Experimental Science," under subject of heat, page 189, twentieth edition, of what made and where they can be bought? A. An alum cell is a glass cell filled with alum water. The glass cell is shown on page 619 of "Experimental Science." A similar cell filled with carbon bisulphide in which iodine is dissolved till the solution is opaque to light is an iodine cell such as is used to show the transmission of heat without light. It is not a bromide cell, as you term it, but an iodine cell which is used for the purpose. They can be bought from dealers in physical apparatus, or made from two plates of glass and some thick rubber. Rubber tubing filled with fine sand may be used for the sides and bottom of the cell. Four screw clamps are required to hold the glasses together.

(8083) A. R. H. writes: I have collected a lot of bells of the form used for electric bells. I want to make a set of musical bells, and have all sizes. Could you let me know through your column or by letter how I could tune them? They are not very far or much out of tune as they are, but I do not know how to alter the pitch of the note one way or the other. A. To raise the pitch, turn the edge off in a lathe cautiously until the desired pitch is reached. To lower the pitch, make the edge thinner, removing metal from the inner or outer side at and near the edge.

(8084) E. N. C. writes as to an inexpensive battery for lighting one or two incandescent lights. A. You will find the plunger bichromate battery described in SUPPLEMENT, No. 792, price ten cents, as convenient as any primary battery for lighting one or two small electric lamps.

(8085) J. T. asks: Has the problem of seeing to a distance by means of electricity ever been solved? If so, can you give me any information in regard to the latest work that has been accomplished in this direction? A. The sending of portraits or other pictures by electricity has been done for several years. We do not know any success in the direction of seeing to a distance by electricity.

(8086) F. D. P. asks: Can you inform me through your information department, in

a general way, of the most practical and economical way to establish a telephone line of short length? I wish to construct two lines, one about one-quarter mile, the other about two and one-quarter miles, in length. I have never had any experience in this line, and will be pleased to have all the particulars. A. You will need line wire of galvanized iron, if the line is in open country; or insulated, if the line is in a town where other lines are run along the streets. Transmitters, receivers, calls, and lightning arresters, batteries, insulators, etc., will complete the outfit. The list of these, with prices and quantities, will be furnished by the dealers to whom you may write for rates. We can furnish you Poole's "Practical Telephone Handbook," price \$1.50 by mail, which will give you instructions upon many points concerning the installation of the apparatus.

(8087) W. E. P. asks: Can you inform me how many convolutions there should be in the primary and the secondary of an induction coil designed to produce a quarter-inch jump spark, using a cell which gives about 6 amperes at 1½ volts? Also sizes of wire suitable for primary and secondary coils. A. The primary of most induction coils is wound with two layers of wire. For a quarter-inch spark use No. 24 cotton-covered copper wire. For secondary use about 8-ounce No. 36 silk-covered copper wire. Full data, drawings and instructions for making all parts of coils from ¼-inch spark to 6-inch spark are to be found in Bonney's "Induction Coils," price \$1 by mail.

(8088) M. N. asks: 1. Are lightning-rods a protection, or not, to a building, provided, of course, they are properly put on? A. Lightning-rods are a protection to a building when properly put on. They protect the building in two ways: 1. If the building is struck, the rods furnish a means of conducting the electricity to the earth without damaging the building. 2. They act as a path for electricity from the earth up into the cloud to neutralize its electricity before the lightning strikes. This may prevent the lightning from striking the building at all. This is probably often the case. For this service the rod gets no credit. 2. If they are not a protection, how did Franklin's discovery benefit mankind? A. Franklin's great discovery was not the invention of lightning rods. It was that lightning and electricity from the machine are identical, one and the same thing. He invented the lightning-rod after he found out what lightning is.

(8089) A. H. asks: Please inform me if any of the SCIENTIFIC AMERICANS contain instructions for making a storage battery that will register 15 volts or more. Please mention numbers. A. See SCIENTIFIC AMERICAN SUPPLEMENT, No. 1195, price ten cents. You will require 8 cells to obtain 15 volts of pressure. One cell can give but 2 volts. To obtain 15 volts, join 8 cells in series.

(8090) O. H. H. asks: Does ice melt faster in a cool, damp cellar or in a warm, dry room? Have had different opinions on the same, and would like to know the correct one. A. The melting of a substance is proportional to the difference of temperature between that substance and the place where it is. There is no connection between the melting of ice and the moisture of the place where it is; or, rather, the place where ice is kept will soon be saturated with moisture, since ice evaporates at all temperatures without becoming liquid. Ice will, for these reasons, melt better in a warm place than in a cool place.

(8091) A. L. L. writes: My two boys are anxious to understand electrical testing and electrical-testing instruments. They say commence at first principles, as it puzzles them to understand voltage. They can master amperage and resistance, but voltage and potential difference seem to puzzle them. Would you kindly advise as to what book or books they had better procure? A. Your boys may think of this: A man pumps water from a trough up to another twenty feet above the first. From the upper trough the water flows down into the trough from which it was raised through a pipe, turning a wheel on the way. If this little example in water power is understood, it will be possible for the boys to apply it to the action of a battery or dynamo current. The battery or dynamo pushes the difference of potential up on its plus side to a level higher than on its minus side. Then from the higher level the electricity flows down again, doing work on the way—lighting a lamp, or turning a motor. The current of water can do work in proportion to its quantity. So can the current of electricity. This is measured and called amperes. The water is prevented from doing work in proportion to the friction along the pipe and the difficulty in turning the wheel. So the current of electricity is prevented from doing its work by the difficulty it has in forcing its way along the wire. This is resistance, and is measured in ohms. The water gets power in proportion to the height to which it is pumped. So the electricity has power to do work in proportion to the height to which it is raised. This is its difference of potential, or, as it is sometimes called, its electromotive force, or voltage. These names may later be distinguished from each other, but at first a distinction is hardly necessary. Electromotive force is also thought of as pressure. This is like the pressure the water would have in a pipe up which it is being pumped. The higher the type, the greater the pressure at the bottom. So a dynamo may produce a pressure of 50 volts, or 100 volts, or

5,000 volts, and the current will flow down with more violence as the pressure in volts is made greater. We recommend Thompson's "Elementary Lessons in Electricity," \$1.40; Slingo & Brooker's "Electrical Engineering," \$3.50.

(8092) F. P. S. asks: Can you inform me why a buzzing sound is heard at a simple electro-magnet which is connected with a small, shunt-wound dynamo driven by a water-wheel, when the dynamo is running. A. The dynamo is probably furnishing an alternating current, and the sound heard is the musical note corresponding to the number of alternations per second of that current.

(8093) W. B. writes: I am in want of exact information as to what extent lightning-rods prevent buildings from being damaged by lightning. I want reliable information, other than from interested parties who have rods for sale. A. We have frequently expressed our opinion that lightning-rods are a great protection to buildings, both in preventing lightning from striking and in conducting the discharge to the earth when it occurs. SCIENTIFIC AMERICAN SUPPLEMENT, No. 998, price ten cents, contains a very valuable paper on the subject, from the pen of Prof. McAdie, of the Weather Bureau. His word ought to be considered as final.

(8094) J. T. V. writes: 1. In reading "Experimental Science," on page 350 I find the author makes the following statement: "In the search for perpetual motion, vain efforts have been made to discover a substance which could be interposed between the magnet and its armature, and removed without the expense of power, and which would intercept the lines of force, so as to allow the armature to be alternately drawn forward and released, but no such substance has ever been discovered." On page 481 there is shown a magneto-electric machine, deriving its power from a series of magnets. Inferring from the passage quoted that a permanent magnet continues to attract its armature indefinitely, will you kindly explain the effect the revolving armature has on the magnets of this magneto-electric machine, that renders them incapable of imparting motion, as I understand it does in time? A. The statement quoted from "Experimental Science" is quite true. There is no substance which can intercept lines of magnetic force which is not also attracted by the magnetic field. The magneto-electric machine derives its power from the fact that a coil of wire revolving in a field of force, so as to include a varying number of lines of force as it revolves, will have an electric current generated in it proportionate to the force required to revolve it; that is, proportionate to the number of lines of force which it cuts. This power is not lost by its exercise, but can be used indefinitely to produce an electric current. 2. Does the temperature affect the passage of the electric current through steel or copper wire? A. Yes; every conductor has its resistance changed by a change of temperature. Carbon has less resistance when hot than when cold. Metals have more resistance hot than cold. The change of resistance for one degree is called the temperature coefficient. 3. Will you also please advise the number of shots it is calculated can be fired from the new 16-inch gun described in a recent issue of the SCIENTIFIC AMERICAN? A. The life of the 16-inch gun depends upon the intensity of the explosives. As to the number of shots that can be fired before the gun gives out, it probably cannot bear more than 100 shots at long range.

(8095) H. E. McC. asks: Will you please inform me if I may solder the wires to commutator segments? A. Armature wires are usually soldered to the commutator bars.

(8096) E. L. M. asks: I would like to inquire if the furnace of SUPPLEMENT 1182 can be used for melting lead, Babbitt and such metals and kept at a steady heat? A. An electrical furnace cannot be used for melting metals at a low temperature. Its heat is so intense that the metals would be burned.

(8097) J. Z. asks: On a short telegraph line of about 300 yards, which instruments would you advise me to use—two five-ohm, or two twenty-ohm, instruments; or would it be just as good to use one of each, and why? A. Almost any sounder will work 300 yards. We do not know any reason for preferring one of these to the other.

INDEX OF INVENTIONS

For which Letters Patent of the
United States were Issued
for the Week Ending

FEBRUARY 26, 1901,


AND EACH BEARING THAT DATE.

[See note at end of list about copies of these patents.]

Account case, merchant's short, H. H. Chapman..... 668,727
Advertisement pillar, C. Casanova..... 668,749
Advertising device, J. F. Marshall..... 668,686
Advertising device, Westermann & Darling..... 668,723
Alarm mechanism, T. H. Bowles..... 668,623
Amalgamator, T. H. Hicks..... 669,058
Anchor, J. H. Shaw..... 669,016
Arch skewback, W. B. Hughes..... 668,797
Automobile, J. Break..... 668,769
Backwater floor and stable drain, J. F. Cotter..... 669,042
Bag, E. D. Bean..... 668,707

Balance sheet or book for banks, W. W. Barrett..... 668,900
Baling press, P. A. Killman..... 668,736
Band cutter and feeder, automatic, Van Houweling..... 668,763
Barrel head, D. McGee..... 668,926
Barrel lowering device, J. C. Purucker..... 668,932
Basket, R. B. Fuller..... 668,732
Bathing apparatus, electric, O. Schneider..... 668,661
Batteries with charging circuits, apparatus for controlling connections of storage, N. H. Suren..... 668,779
Batteries with charging lines, apparatus for connecting storage, N. H. Suren..... 668,764
Battery charging system, secondary, M. Waddell..... 668,667
Battery system for signaling circuits, storage, N. H. Suren..... 668,664
Bicycle, A. S. Dickinson..... 668,873
Bicycle, C. L. Travis..... 668,784
Binder, loose sheet, J. B. Irving..... 668,754
Binder, temporary, C. K. Rosenberg..... 668,804
Blast furnace, J. Kennedy..... 669,012
Blotter, roller, G. E. Bardshar..... 669,040
Boat lowering gear, D. Roche..... 668,660
Boiler incrustation, preventing, T. H. Jones..... 668,820
Book, manifold order, F. L. Smith..... 668,806
Book rack, J. Roseboom..... 668,961
Boot or shoe, L. A. Casgrain..... 669,022
Boot or shoe spring tread device, G. E. Swan..... 669,003
Border cutting and wall paper trimming machine, A. Allen..... 668,945
Boring drill, J. Nitschmann..... 668,657
Bottle finishing machine, W. P. Parsons..... 668,928
Box covering machine, H. B. Blackington..... 668,621
Boxes, packages, barrels, etc., machine for stacking or unstacking, G. M. French..... 668,681
Brake apparatus pressure regulator, J. G. McCarthy..... 668,880
Brake shoe, J. R. Cardwell..... 668,624
Bread raiser, E. B. Knipple..... 668,753
Broom, S. J. Edmiston..... 668,631
Brush, blacking, E. P. Le Compte..... 668,993
Brush holder, scrubbing, Donnelly & Brady..... 668,874
Bucket, bait, G. Ayers..... 668,899
Burial casket, E. A. Post..... 668,883
Butter, cutter, W. Lang..... 668,951
Butter making, C. M. Taylor, Jr..... 668,721
Cabinet, R. J. Buchanan..... 668,748
Cable fixture tip, E. T. Burrows..... 668,810
Cake cutter, F. Groszold..... 668,637
Calipers, nose, C. M. Haynes..... 668,917
Camera, multiplying photographic, J. F. Standford..... 668,888
Can, E. M. Hallbauer (reissue)..... 11,892
Can, See Shipping and storage can.
Car coupling, A. Dunn..... 669,044
Car, dump, T. R. McKnight..... 668,927
Car drafting rigging, railway, W. H. Miner..... 668,655
Car fender, A. G. Carlson..... 668,877
Car seat head rest, T. B. Beach..... 668,765
Car side bearing, Susemihl & Torrey..... 668,697
Cars, gravity rocker side bearing for railway, J. J. Hennessy..... 668,642
Carbon and paper holder, W. Pershing..... 669,001
Cartridge case loading machine, J. P. de Braam..... 668,906
Ceiling structure, B. Maibach..... 668,922
Centrifugal separator, P. H. Adams..... 668,744
Chair bellows, rocking, C. U. Krieg, Sr..... 668,992
Chairs, sanitary head rest for barbers' or other, H. Marshall..... 668,995
Chopping machine, L. E. Hawes..... 668,774
Chuck, rock drill, Docharty & Wagner..... 668,830
Chucks, tool for extracting bushings of drill, Docharty & Wagner..... 668,831
Cigar lighter, electric, C. A. Bernhardt..... 668,708
Cigar rolling table and wrapper cutter, I. Liberman..... 668,921
Cigar wrapper cutting machine, J. D. Lacroix..... 668,959
Cleft for metallic shingles, C. W. Conner..... 668,625
Clevis, plow spring, W. S. McParren..... 668,925
Clock, alarm, O. Bartel..... 668,968
Cloth cutting or like machine, England & Roberts..... 668,632
Clutch, J. Carlson..... 668,675
Cook, gage, Miller & Hart..... 668,977
Collar and cuff dampening apparatus, F. H. Harriman..... 669,032
Collars, etc., machine for folding, C. H. Knapp..... 668,920
Combination lock, C. B. Hopkins..... 669,045
Compass, ship's, H. Bruns..... 668,972
Composition of matter, Bennet & Beman..... 668,901
Compression lubricator, W. Michalk..... 669,065
Concentrating apparatus, A. K. Cross..... 669,043
Concentrator, S. W. Traylor..... 669,038
Conductors from non-conductors, mechanism for separation of, Blake & Morscher..... 668,792
Conduit joint mold box or form, Thieren & Gregory..... 668,862
Cooler for bottled wine, etc., J. T. Ashe..... 668,867
Copper matte, desulfurizing, G. C. Carson..... 668,952
Cord cutter, S. H. Wiesedeppe..... 668,724
Crate, J. P. Bade..... 668,966
Creamery apparatus, J. Payne..... 669,014
Creucible and crucible furnace, A. Reynolds..... 668,803
Crusher, W. Lang..... 668,951
Cultivator, W. L. Beall..... 669,059
Curler, hair, W. Connolly..... 668,794
Curtain fixture, A. Harris..... 668,817
Curtain pole, J. P. Muehlebach..... 668,923
Curtain pole and pole support, combined, H. C. Stout..... 668,963
Cutter head, H. C. Hosier..... 668,734
Delivery apparatus, coin controlled, Stuart & Beckfield..... 668,808
Demagnetizer, O. S. Walker..... 669,051
Dental press for compressing dental flasks, J. P. Gomes..... 669,031
Disinfecting appliance, T. N. Thomson..... 668,762
Display and sale cabinet, Putnam & Harman..... 668,659
Door hanger, F. A. Engelbright..... 668,986
Door lock, C. J. Letzing..... 668,650
Dough bench, W. T. Greig..... 668,636
Dough, separable apparatus for warming and raising, R. E. Pedigo..... 668,739
Dredge, L. A. Desy..... 668,629
Dyeing machine, J. Steenberghe..... 668,694
Ear, device for treating diseases of the, M. Polich..... 668,929
Easel, desk, L. L. Ingraham..... 669,009
Eraser, M. Jaenke..... 668,647
Electric accumulator, P. F. Ribbe..... 668,690
Electric lighting systems, junction box for, M. Waddell..... 668,666
Electric motor controlling device, A. G. Carlson..... 668,978
Electric switch, C. J. Doran..... 668,909
Electric switch, J. & J. Jones Jr..... 668,798
Electric switch, J. H. Spangler..... 668,662
Electric switch, P. H. F. Spies..... 668,887
Electric traction system, Thompson & Walker..... 668,781
Electrical machine attachment, static, G. Werber..... 669,052
Electrical separation of conductors from non-conductors, Blake & Morscher..... 668,791
Electromagnetic separator, G. H. Waring..... 668,940
Elevator, See Warehouse elevator.
Elevator electric attachment, D. B. Fleck..... 668,987
Embalmer's use, vein dilator for, W. L. Miller..... 668,879
Engine, H. MacLaury..... 668,822
Engine lubricator support, G. U. Merrill..... 668,857
Engine reversing apparatus, steam, Van der Noordaa & Hoën..... 668,938
Engine vaporizer, explosive, R. P. Hansen..... 668,773
Engine vaporizing device, explosive, C. E. Dawson..... 668,953
Engines, cylinder with liquid packing for explosion or internal combustion, L. Bayer..... 668,706
Engines, incandescent igniter for gas, C. J. Macomber..... 668,839
Excavating apparatus, M. Covel..... 668,983
Expense register, traveler's, H. R. Richardson..... 668,859
Explosion engine, C. E. Dawson..... 668,954
Exposure indicator, E. Wagner-Strauss..... 668,896
Fastener feeding mechanism, P. R. Glass..... 668,916
Fastening, metallic, L. A. Casgrain..... 669,023
Fastenings, machine for inserting metallic, L. A. Casgrain..... 669,024
Fastenings, machine for making and inserting metallic, L. A. Casgrain..... 669,023
Fastenings, making metallic, L. A. Casgrain..... 669,026
Fence machine, slat and wire, W. F. Seargeant..... 668,935

(Continued on page 157)



"Star" Lathe
Foot and Power Screw Cutting
Automatic Cross Feed
FOR FINE, ACCURATE WORK
Send for Catalogue B.
SENECA FALLS MFG. CO.
695 Water Street,
Seneca Falls, N. Y., U. S. A.

ARMATURE WINDING, RIGHT AND Left Handed.—An important paper for all amateurs. 17 illustrations. SCIENTIFIC AMERICAN SUPPLEMENT, No. 1139, price 10 cents. For sale by Munn & Co. and all newsdealers. Send for catalogue.

ENGINE & FOOT MACHINE SHOP OUTFITS
LATHES TOOLS AND SUPPLIES
SEBASTIAN LATHE CO. 29 CINCINNATI, O.

Tells About Tools

A perfect encyclopedia of tools in use in every trade and profession with prices and discounts of same.
Montgomery & Co.'s Tool Catalogue.
510 pages, well printed. Copiously illustrated. A valuable book of reference for everybody interested in tools or machinery. Mailed for 25 cents, sent to MONTGOMERY & CO., 105 Fulton St., New York City.

There is never any question about the quality of a
B. F. BARNES UPRIGHT DRILL.
The tool here illustrated is our 20-inch Drill, and we guarantee it to drill up to 1 inch in steel and 1 1/2 inch in cast iron at a good rate and without strain. We build larger sizes and will be glad to send full data on our entire line to interested people.
B. F. BARNES CO., Rockford, Ill.

GUYER'S PATENT DESULPHURIZING FURNACE.
Latest, Cheapest and Best.
Takes the place of Heap or Stall Roasting.
Saves time and money.
Write for particulars.
HENRY GUYER, Casilla 514 LIMA, PERU, S. A.

STEEL ROLLS
for flattening wire for all purposes
Send for circulars.
BLAKE & JOHNSON,
P. O. Box 7, WATERBURY, CONN.

BARNES' NEW FRICTION DISK DRILL FOR LIGHT WORK.
Has These Great Advantages:
The speed can be instantly changed from 0 to 1600 without stopping or shifting belts. Power applied can be graduated to drive, with equal safety, the smallest or largest drills within its range—a wonderful economy in time and great saving in drill breakage.
W. F. & JNO. BARNES CO.,
1999 Ruby Street, Rockford, Ill.

The AUTOSPARKER
The completion of the Gas Engine.
Throw away your batteries and use them no more. The Autosparker saves its cost many times over during the life of your engine. Address MOTTINGER DEVICE MFG CO., Pendleton, Ind., U. S. A. or any gas engine or motor carriage manufacturer.

NEW IMPROVED Microscope for Projection.
New metal track plate with keys to unlock standard and change instantly—combining also polariscope and stamper. New series of projection objectives, with flat field, well lighted and clear definition. New sub-stage condenser on a new system. Illustrated circular, catalogue, etc., free.
QUEEN & CO., 1010 Chestnut St., Philadelphia, Pa.


IT SIMPLIFIES DIFFICULT WORK
There are many unique features in our **Hand and Power Pipe Threading and Cutting Machine**. It has our Standard Adjustable Quick Opening and Closing Die Head with convenient cam movement. Five Chasers, set by graduation to any size needed. Can be released from Threading while in motion, opened to permit pipe being cut and closed instantly and positively. Send for Catalogue.
THE MERRELL MANUFACTURING CO., 501 Curtiss St., Toledo, Ohio

NEW YANKEE DRILL GRINDER.
Requires only ONE adjustment to grind any size drill within range of the machine.
SIMPLEST, FASTEST AND BEST.
Gage Jaws and Calipers done away with. Saves time, breakage and wear of Drills.
WILMARTH & MORMAN CO.,
153 Canal St., Grand Rapids, Mich., U. S. A.

Gas Engine IGNITER
Complete with spark coil, \$12.00.
The Best Thing on the Market.
Latest and most improved model.
Send for Circular.
Carlisle & Finch Co., 233 E. Clifton Av., Cincinnati, O.

Fence stays, tool for applying wire, J. W. Tracey..... 668,964
Fence tension device, wire, J. T. Swartz..... 669,050
Fender, W. H. Brook..... 668,770
Fender, W. J. Connell..... 668,850
Fibrous materials, apparatus for removing impurities from, C. Delerue..... 668,907
File case or cabinet, J. R. Burton..... 668,848
File, letter, C. Abernethy..... 668,616
Filter, C. E. Torrance..... 668,782
Filter press, J. F. Pogue..... 668,802
Fish hook, F. H. Pardon..... 668,668
Fish trap, S. J. Knight..... 668,854
Fishing tackle, T. Fennelly..... 668,832
Flax separator, D. France..... 668,851
Flower holder, S. Weiller..... 668,897
Flower holder and insect trap, combined, J. Herfort..... 668,775
Flushing device, G. M. Jenkins..... 668,990
Flushing tank, I. P. Clarke..... 668,709
Flushing tank, automatic, J. W. Stevens..... 669,037
Folding machine, R. C. Seymour..... 668,719
Follower, split, A. H. Baker..... 668,844
Forging die for axes, hatchets, etc., E. P. Alexander..... 668,704
Forging machine, C. H. Veeder..... 668,665
Fruit picker, T. H. Kruse..... 668,715
Fruit pitting implement, A. J. Long..... 668,821
Furnace, J. D. Sigler..... 668,777
Furnaces, apparatus for feeding liquid and solid pulverized fuel into, Vitillard & Scherding, Jr..... 668,787
Game board, W. M. Post..... 668,930
Garbage crematory, J. L. White..... 669,054
Garment hanger, S. S. Brooks..... 668,673
Garment hanger, L. Yonteff..... 668,898
Garment stretcher, Bishop & Dawson..... 668,620
Gas burner, incandescent, Cervinka & Berni..... 668,676
Gas evaporating apparatus, automatic regulator for liquefied, E. T. Winkler..... 668,789
Gas for motive power, utilizing carbonic acid, J. C. Henderson..... 668,682
Gas generator, acetylene, C. W. Beck, (re-issue)..... 11,891
Gas lighting burner, incandescent, G. Delin..... 668,628
Gasket, packing, A. B. Pratt..... 669,047
Gear cutting machine, bevel, T. Coventry..... 668,772
Gear, power transmitting and reversing, O. S. French..... 668,914
Generator. See Gas generator. Steam generator.....
Glass blowing machine, G. C. Pyle..... 668,858
Glass press, P. Ebeling..... 668,910
Glassware grinding apparatus, F. Woodard..... 668,790
Gold and silver, apparatus for separating for electrolytically extracting and depositing, A. M. Rouse..... 668,842
Governor, C. E. Dawson..... 668,955
Grain binder bundle carrier, E. Pridmore..... 668,741
Grain scourer, C. S. Rider..... 668,860
Grain separator, J. L. Owens..... 669,013
Grinding mill, T. Cascaden, Jr..... 669,060
Guns, apparatus for transferring powder from the side to the bore of, Dawson & Home..... 668,984
Hammer, magazine tack, G. E. Hasinger..... 668,836
Hammer, power, R. E. Kidder..... 668,799
Harrow tooth and holder therefor, M. J. Todd..... 668,937
Harvester cord knitter, self binding, T. L. Wardrop..... 668,953
Harvester, cotton, D. D. Miles..... 668,953
Hat pounding machine, H. H. Turner..... 668,785
Hat shaping machine, N. E. Kahn..... 669,010
Heater, F. P. Ziegler..... 668,728
Heating apparatus, J. Levechon..... 668,856
Hinge, D. W. Tower..... 669,018
Hitching device, N. L. Dallard..... 668,871
Hot air power or pumping engine, C. G. Cronwall..... 668,626
Hulling and polishing machine, F. Smith..... 668,843
Ice cutting machine, Butler & Hammond..... 668,771
Incandescent lights, apparatus for burning vapors for producing, F. M. S. Roy..... 668,934
Insect trap, F. Hahn..... 668,640
Insulating and fireproof sheeting, G. Kelly..... 668,684
Jar gripper, fruit, A. Werner..... 668,790
Joint, F. H. E. Siegmund..... 668,720
Knit cap and making same, flat, N. E. Kahn..... 669,011
Knitted fabric, J. Bradley..... 668,793
Knitting machine, G. H. Gilbert..... 668,833
Knitting seamless stockings with lacework effect by machinery, H. Brown..... 668,674
Lacing device, N. P. Bolin..... 668,948
Lamp, alternating current series arc, M. H. Baker..... 668,863
Lamp burner, F. T. Williams..... 668,725
Lamp circuits, automatic circuit closer for arc, G. R. Davidson..... 668,905
Lamp, electric arc, M. H. Baker..... 669,055
Lamp, electric arc, G. Rasmus..... 669,015
Lamp, electric arc, P. H. P. Spies..... 668,886
Lamp, incandescent electric, C. A. Chase..... 668,904
Lamp, inclosed arc, M. H. Baker..... 669,055
Lamp protector, electric, E. Eckl..... 668,630
Lamp lighting apparatus, time, J. H. Towan..... 668,783
Lantern, D. R. Peck..... 668,758
Lath, R. Franken..... 668,005
Lath, Sellers & Lewis..... 668,718
Lath, wood turning, A. D. Waymouth..... 668,698
Lifting jack, J. F. Norman..... 668,716
Limb, artificial, A. Gault..... 668,634
Line chalk and plumb bob, combined, F. J. Napier..... 668,908
Liquid heater or cooler, G. J. L. Henry..... 668,875
Liquids, receptacle for containing and administering volatile, C. L. Gebauer..... 668,815
Lock and latch, E. T. Zwick..... 668,764
Locomotive tenders, tandem spring derricking for, W. H. Miner..... 668,656
Loom for weaving tufted pile fabrics, J. I. Collins..... 668,679
Lubricator, F. W. Edwards..... 668,814
Lubricator, C. Slater..... 669,017
Match safe and cigar cutter, combination, O. F. E. Anderson..... 668,619
Mattress clamp, L. Romaine..... 668,740
Meat pounder, M. Pet..... 668,953
Mechanical movement, J. E. Hallett..... 668,638
Metal, implement for use with molten, A. L. Haasis..... 668,669
Metal, machine for making expanded, H. E. White..... 668,669
Metal, making expanded, H. E. White..... 668,670
Metal structure, expanded, C. B. White..... 668,668
Metallic leaf, device for applying, W. H. Coe..... 668,849
Mill for granulating corn, cornmeal, etc., C. R. Spencer..... 669,048
Mitering machine, J. L. Tyler..... 668,786
Mop wringer, J. E. Young..... 668,703
Motion, means for transmitting rotary, J. H. Pendleton..... 669,036
Motor, J. F. W. Koetter..... 668,855
Motor grouping system, F. H. Shepard..... 668,962
Mower, lawn, F. Holdshoe..... 668,870
Mower, lawn, E. Shogren..... 668,758
Mowing machine, P. E. Kuhn..... 668,649
Musical instrument, self-playing stringed, F. Schneider..... 668,885
Nailing machine, J. Bird..... 668,846
Nut lock, O. O'Sullivan..... 668,738
Nut wrench, vehicle, G. E. Spurr..... 668,693
Ordnance of large caliber, automatic, C. von Hanneken..... 668,835
Ore concentrator, A. A. Francis..... 668,952
Ore concentrator, C. A. Christensen..... 668,950
Ore separator, W. A. Redding..... 668,742
Ores, magnetically separating, G. H. Waring..... 668,941
Packing vessel, W. C. Rudd..... 668,691
Paper pail making machine, E. C. Westervelt..... 668,943
Paper registering instrument, T. C. Dexter..... 669,061
Paper weight and chart case, J. H. Carver..... 668,870
Pen, fountain, W. W. Stewart..... 668,750
Perambulator, W. E. Crandall..... 668,728
Photochromatic apparatus, F. E. Ives..... 668,989
Photographic shutter, L. J. Vogt..... 668,965
Photography, smoke collecting device for use in instantaneous, A. Weiss..... 669,699
Pierates, making, A. C. Girard..... 669,030
Pile fabric, double, F. Rutbardt..... 668,692
Pipe mender, beer, W. J. Hayes..... 669,033
Pipe wrench, A. F. Jackson..... 668,645
Pipes, device for preventing leaks in steam, J. Birnbaum..... 668,847
Placquet closure, E. B. Hess..... 668,918
Planter and fertilizer distributor, seed, P. F. Randolph..... 668,912
Planter marker, E. Anderson..... 669,005
Plow, F. L. Sieg..... 668,936
Plumber's trap, E. Riley..... 668,776

(Continued on page 158)



THE MIETZ & WEISS KEROSENE and GAS Engine
burns KEROSENE cheaper and safer than gasoline. Automatic, simple, reliable. No electric battery or flame used. Perfect regulation. Belted or directly coupled to dynamo for electric lighting, charging storage batteries and all power purposes.
A. MIETZ,
128-138 Mort St., New York.
Markt & Co., London, Hamburg, Paris

GASOLINE MOTOR CASTINGS
For MARINE, VEHICLE and BICYCLE MOTORS,
with Working Drawings.

LOWELL MODEL CO., 22 Wiggin St., Lowell, Mass.

MAXIMUM POWER—MINIMUM COST.
If you use a pump for beer, lard, acids, starch, petroleum, brewer's mash, tanner's liquor, cottonseed oil or fluids, hot or cold, thick or thin you want to get the **TABER ROTARY PUMP** which does the most work at the least expense. Simply constructed. Can be run at any desired speed. Perfectly interchangeable. Needs no skilled workman. Defects guaranteed. Catalogue free.
TABER PUMP CO., 32 Wells St., Buffalo, N. Y., U. S. A.

THE JOHNSON ROTARY PUMP.
Simple of construction, positive in action, easy and quiet in operation. Especially adapted to pumping soap, oil, sugar, lard, glucose, acids, starch, glue, varnish, corn and water, malt, etc. Large sizes for irrigation. Made as a belt or steam pump, or combination, or operated by electric motor or gasoline engine. Manufactured by **DAVIS-JOHNSON CO., Station V, CHICAGO, ILL.** James H. Robley, Agent, 95 Liberty St., N. Y. City.

NICKEL AND Electro-Plating Apparatus and Material.
THE **Hanson & VanWinkle Co.,**
Newark, N. J.
136 Liberty St., N. Y.
30 & 32 S. Canal St. Chicago.

GASOLINE ENGINES
f made by Witte are all right. They are simple, safe, durable, and guaranteed for 5 years. Just write for Catalogue A, and see.
WITTE IRON WORKS CO.
519 West 5th Street,
Kansas City, Mo.

LIGHT POWER! WHY NOT BUILD AN ENGINE?
We have sets of Castings for Stationary and Marine Engines up to 2 H. P., also sets for small Gas Engines and Locomotives. All are excellent models and fine castings, and we sell them rough or finished. Our engines are used for driving Lathes, Circular Saws, Printing Presses, Ceiling Fans, Polishing Wheels, etc. Our Catalogue shows our line including Boilers, Safety Valves, Pumps, Whistles, Water Gauges, etc. Cat. 44 stamps.
SIPP ELECTRIC & MACHINE CO., - PATERSON, N. J.

The "Wolverine" Three Cylinder Gasoline Marine Engine.
The only reversing and self-starting gasoline engine on the market. Lightest engine for the power built. Practically no vibration. Absolutely safe. Single, double and triple marine and stationary motors from 3 to 30 H. P.
WOLVERINE MOTOR WORKS, Grand Rapids, Mich.

DYKES AUTO TOOL SET No. 10.
BUILD YOUR OWN AUTOMOBILE.
Send for new Cat. Supplement.
ST. LOUIS AUTOMOBILE AND SUPPLY CO.,
2222 St. Charles St., St. Louis, Mo.
First Auto. Supply Co. in America.

WE TEACH YOU FREE \$5. to \$10. PER DAY.
Gold, Silver, Nickel and Metal Plating.
At home or traveling, using and selling **Prof. Gray's Machines.** Plates Watches, Jewelry, Tableware, Bicycles, all metal goods. NO EXPERIENCE. Heavy plate. Modern methods. No toys. We do plating, make outfits, all sizes, Complete, all tools, lathes, materials, etc., ready for work. The Royal, new dipping process, quick and easy. Write today. Pamphlet, FREE.
P. GRAY & CO., Plating Works, CINCINNATI, O.

GERE GASOLINE ENGINES
SIMPLEST BOAT ENGINES MADE
CABIN AND OPEN BOATS
ENGINE CASTINGS, BOAT FRAMES
GEO. H. GERE, 1401 LAUGHMAN, GRAND RAPIDS, MICHIGAN.

ARTESIAN
Wells, Oil and Gas Wells drilled by contract to any depth from 50 to 3000 feet. We also manufacture and furnish everything required to drill and complete same. Portable Horse Power and Mounted Steam Drilling Machines for 100 to 1200 feet. Write us stating exactly what is required and send for illustrated catalogue. Address **PIERCE WELL ENGINEERING AND SUPPLY CO.** 136 LIBERTY STREET, NEW YORK, U. S. A.



WILLIAMS' SHAVING STICK
THE ACME OF LUXURY
THE PINNACLE OF PERFECTION
SOLD EVERYWHERE - BY MAIL 25c. IF YOUR DEALER DOES NOT SUPPLY YOU.
THE J. B. WILLIAMS CO.
CLASTONBURY CONN.
LONDON - PARIS - DRESDEN - SYDNEY.




EDISON RECORDS
FOR GOOD MUSIC
Buy Edison Records. Dealers everywhere have them. Ask for the RED HAND kind. **GENUINE EDISON PHONOGRAPHS** From \$10. to \$100. Catalogues everywhere, all dealers.
None genuine without this **Thomas A. Edison** Trade Mark.
Nat'l Phonograph Co., 135 Fifth Av., New York

HOLD ON THERE!
Send 3c. for catalog of **Monarch Marine Gasoline Engines.**
3/4 to 45 H. P. \$200 up.
Grand Rapids Gas Engine & Yacht Co., Grand Rapids, Mich.

The Pipe of the Century.
...THE... **"MALLINCKRODT" PATENT**
NICOTINE ABSORBENT AND VENTILATED SMOKING PIPE IS THE ONLY PIPE FIT FOR A GENTLEMAN'S USE.
You may appreciate the exquisite flavor and taste of a good smoking tobacco, but you can never have that enjoyment with a dirty, foul-smelling pipe, thoroughly saturated with poisonous nicotine juices, so bitter and disgusting to the taste. This is effectually remedied in the "Mallinckrodt" where the juices are completely absorbed before reaching the mouth, and assuring a cool, clean and healthy smoke. Money refunded if not satisfactory. Pipes from 30 to 50 cents each, according to size and finish. Over 100,000 sold in 1899 alone. Send for illustrated circular "S. A." with prices.
THE HARVEY & WATTS CO.,
387 Broadway, N. Y. Station E, Philadelphia.



The American Automobile
Is the leading publication of its kind in America. It is a high-class illustrated monthly and is a record and review of motor locomotion throughout the world.
15 cents per copy; \$1.50 per year.
Foreign subscriptions, \$2.00.
Sold by the AMERICAN NEWS CO., and all its branches.
NATIONAL PUBLISHING CO.,
141 West 24th St., NEW YORK CITY.



WORLD'S STANDARD

Elgin Watches

tell the time, but time never tells upon them. They become heirlooms. —accurate in their old age. Full Ruby Jeweled. An Elgin Watch always has the word "Elgin" engraved on the works—fully guaranteed. Send for booklet.


ELGIN NATIONAL WATCH CO. ELGIN, ILL.

"Nature's Miracles,"

By the late Prof. Elisha Gray, LL.D., the famous electrician and scientist. A book of familiar talks on science that has received the approval of the greatest lights of the age. I. Earth, Air, Water. II. Energy, Heat, Light, Sound, Explosives. III. Electricity and Magnetism. A scientific education in itself. Untechnical, lucid and fascinating in style. Decorated cloth, 60c. net, per vol. At all booksellers or from FORDS, HOWARD & HURLBERT, Publishers, New York.

GAS and GASOLINE ENGINES.

Using Natural Gas, Coal Gas, Producer Gas, and Gasoline direct from the tank. 1 to 40 H. P., actual. The Springfield Gas Engine Co. 21 W. Washington St. Springfield, O.



THE OBER LATHES

For Turning Axe, Adze, Pick Sledge, Hatchet, Hammer, Auger, File, Knife and Chisel Handles, Whiffletrees, Yokes, Spokes, Porch Spindles, Stair Balusters, Table and Chair Legs and other irregular work. Patented. Send for Circular A. The Ober Mfg. Co., 10 Bell St., Chagrin Falls, O., U.S.A.

HIGHEST EFFICIENCY attained in the

STOVER GASOLINE ENGINE

The best is always cheapest. Write for prices.

STOVER ENGINE WORKS, FREEPORT, ILL.



Telephones,

for Interior, Short Line, Intercommunicating and Hotel Work. Write us for prices, catalogue, etc., with testimonials and references. Estimates cheerfully furnished. Agents wanted.


THE SIMPLEX INTERIOR TELEPHONE CO., 431 Main St., Cincinnati, Ohio.

GREAT POWER—SMALL COST.

The maximum of strength, durability and safety, with the minimum of cost that describes our Holding Engines for operation on Gasoline, Distillate or Crude Oil. Every part of the engine is interchangeable, soon saves its cost in fuel alone. Both friction and geared hoist, 6 to 150 h.p. For quarries, mines, and docks. Weber Gas & Gasoline Engine Co., P. O. Box 1114-a, Kansas City, Mo.

MODELS & EXPERIMENTAL WORK.

Inventions developed. Special Machinery. E. V. BAILLARD, Fox Bldg., Franklin Square, New York.



For the Celebrated Smith Improved Automatic FIBRE CLEANING MACHINE. Best of its kind in existence. AGRICULTURAL IMPLEMENTS AND SPECIAL MACHINERY. APPLY TO THE SPANGLER MFG. CO., YORK, PA.

Acetylene Gas Burners.

Schwarz Perfection Lava Burner. Highest awards in all Acetylene Expositions. Made of one piece of lava. Are faultless and every one tested and guaranteed. Send for Price List. NO Blowing. Smoking. Carbonization. Perfect Alignment. Sole Agents for the U. S. and Canada. M. KIRCHBERGER & CO. 50 Warren Street, New York.

PROSPECTIVE BOAT BUYERS

By constructing your boat from a set of my Boat Building Materials more than one-half the boat factory's price can be realized. Also economize freight 500 percent. Launches, Sails and Row-boats, Gasoline Engines. Catalog free. FRED MEDART, 3545 DeKalb Street, St. Louis, Mo.

Printed clippings, device for preserving and protecting.	668,654
Printing machine, W. Spackhaver.	668,807
Printing press blanket, Hill & Ray.	668,919
Printing press paper slitting attachment, J. F. Fromm.	668,915
Projectile, F. Alessi.	668,618
Propagating pot, H. Bird.	668,707
Propeller, screw, R. Westphalen.	668,701
Pulp digesters, etc., valve for wood, J. H. Baker et al.	668,946
Pump, W. L. Rose.	668,933
Race horses, checking system for determining the form value of, H. M. Breen.	669,021
Railway brake hanger, T. W. Saling.	668,805
Railway, electric, G. H. Davis.	668,710
Railway rail support, single rail, F. B. Behr.	668,969
Railway rails, electric bond for, H. P. Brown.	668,903
Railway safety switch, J. Harrington.	668,641
Railway signaling apparatus, W. Hume.	668,879
Railway tie, metallic, Gadd & Martyn.	668,795
Ram, hydraulic, H. V. Blake.	668,672
Razor, safety, F. R. & O. Kampfe.	668,752
Relay, S. G. Brown.	668,863
Roller screen, M. F. Hutchison.	668,735
Rolling mill housing, E. L. McGary.	668,688
Rotary engine, C. J. Jensen.	668,878
Rotary engine, J. E. Peck, Jr.	669,000
Rotary gas engine, W. H. Aldrich.	668,617
Rotary motor, C. W. Newton.	669,035
Rotary steam engine, J. T. Freeland.	668,623
Rotary steam engine, A. T. Welch.	668,942
Ruler, blackboard, W. H. Fletcher.	668,357
Rulling machine, paper, R. Wilmaus.	668,944
Sales receipts, etc., system for controlling and recording, F. J. Hoffman.	668,714
Satchel or grip, cabinet, J. H. Berry.	668,845
Saw buck, S. Toles.	668,825
Saw set, E. Chalmers.	668,677
Saw swage, E. Chalmers.	668,678
Scaffold, portable and adjustable, C. S. Crow.	668,627
Scale electric attachment, railway, M. H. Reed.	668,689
Scoop, M. Covel.	668,982
Screw, jack, P. H. Stillman.	668,673
Secondary battery, W. R. Bowker.	668,622
Secondary battery, L. W. Collins.	669,064
Seeder and cultivator tooth, J. S. & T. B. Rowell.	668,717
Seeding machine, force feed, B. E. Edwards.	660,028
Sewing machine fan attachment, A. C. Meier.	668,840
Sewing machine feeding mechanism, W. J. Stewart.	668,606
Shade adjustment, F. H. Knapp.	668,800
Ship cleaning device, J. B. Waring.	668,809
Ships' hulls, scraper for, L. Williams.	668,865
Shipping and storage can, combined, M. Covel.	668,981
Shirt waist, M. E. Johnson.	668,683
Shuttle, H. C. Fowler.	668,680
Signaling apparatus, selective, J. A. Barrett.	668,967
Sizer, centrifugal, P. H. Adams.	668,745
Skiving machine, G. Dauris.	668,813
Slag, treating furnace, S. W. Vaughan.	669,019
Slitting and winding machine, C. Koegel.	668,754
Sodium sulfate from brines, obtaining, Baker and Hawthorn.	668,671
Sole edge trimming machine, E. M. Furber.	668,750
Sole leveling machine, G. H. Gifford.	668,635
Spool, F. B. Buchner.	668,973
Spray tube for nebulizers, W. J. Bookel.	669,020
Sprayer, J. L. Enyeart.	668,956
Spraying machine, vine, J. & H. H. Brakeley.	668,951
Spraying machine, vine and plant, J. & H. H. Brakeley.	668,950
Spring. See Vehicle spring.	
Stamps to wooden packages, apparatus for affixing, W. T. Matthews.	668,996
Station indicator, P. E. Thomas.	668,730
Steam and hot water heater, W. H. Page.	668,841
Steam boiler, A. Gronwald.	668,816
Steam generator, O. D. Orvis.	668,755
Steam pipe exhaust head, C. A. & G. A. Young.	668,866
Steam separator, J. J. Hoppes.	668,818
Steam trap, F. L. Bickel.	668,766
Steam trap, C. H. Whitaker.	669,053
Steam trapping, R. G. Brooks.	669,063
Stone flag frame, R. P. Schlegel.	668,757
Stool, folding camp, L. G. Wade.	668,826
Storage apparatus, Piez & Beaumont.	668,960
Stove, heating and cooking, A. Beyer.	668,902
Sugar, precipitating, C. Steffen.	668,778
Surgical instrument, G. Ermold.	668,911
Surgical instrument, J. S. Manly.	669,034
Suspenders, J. Rothschild.	668,861
Telautograph, G. S. Tiffany.	668,889
Telautograph transmission, G. S. Tiffany.	668,895
Telephone signaling device, W. O. Meissner.	668,653
Telephone transmitter, D. H. Wilson.	668,702
Thill coupling, L. G. Mayer.	668,687
Threshing machine sieve, H. Loyd.	668,737
Tie. See Railway tie.	
Tin boxes for food products, manufacturing, Haaker & Mullins.	668,834
Tire, pneumatic, P. E. Griffith.	668,723
Tire, rubber bicycle, St. John & Wait.	669,049
Tire, vehicle, Mahana & Pompe.	668,994
Tongue depressor, folding, C. J. Pilling.	668,823
Toy, L. A. Boehme.	668,829
Toy building block, E. A. Cannon.	668,976
Toy building block, E. A. Faller.	669,029
Toy house, J. L. Baker.	668,827
Track switch, overhead, S. A. Worcester.	669,039
Trestle and extension ladder, combined, J. S. Tilly.	669,004
Trolley catcher, Powers & Snyder.	668,931
Truck, car, J. F. McElroy.	668,924
Truck, car, G. Ruoy.	669,002
Trunk and wardrobe, combination, P. J. Watson.	668,864
Tube. See Spray tube.	
Turning crank pins and eccentrics, machine for, C. Vogel.	668,863
Typewriting machine, C. F. Ebel.	668,730
Typewriting machine, C. Gabrielson.	668,713
Typewriting machine, B. C. Stickney.	668,743
Urinal, W. H. Dewar.	668,872
Valve, J. O'Meara.	668,881
Valve, automatic, W. D. Klipfel.	668,648
Valve gear for steam boilers, interlocking, A. T. Cooper.	668,811
Valve gear, steam engine, O. Jackson.	668,646
Valve or cock operated by ball float, etc., A. E. Markwick.	668,652
Vehicle brake, C. R. Bolter.	668,949
Vehicle, motor road, C. E. Hadley.	668,639
Vehicle spring, P. Lier.	668,685
Vehicle starter, brake, and power storing device, W. A. Bradley.	668,768
Vehicle step, H. C. Wilson.	668,788
Veterinary float, G. W. Tenfel.	668,722
Vise and attachment for same, drill, J. J. Stevens.	668,695
Voltaic battery, H. de Kutz de Lavison.	668,838
Wagon, T. V. Edwards.	668,985
Wall, portable, H. B. Copeland.	669,041
Warehouse elevator, portable, E. Brown.	668,971
Waste materials, utilization of, Bell & Subers.	668,947
Watch pallet, adjustable, A. V. Johnston.	668,901
Water closet flushing apparatus, R. J. Gating.	668,753
Water closet flushing apparatus, W. H. Osborn.	668,999
Water closet valve, D. T. Kenney.	668,837
Water closet ventilating device, A. Drouillard.	669,062
Water wheel turbine, C. Stone.	668,824
Water wheels, regulating device for impact, N. Lamb.	668,801
Weighing machine, liquid, C. J. Hedeman.	668,875
Well drilling tools, rope socket for, G. F. Bell.	668,828
Wheel. See Water wheel.	
Wheel construction, C. C. Dollison.	668,908
Wheels, etc., fastening for, J. O'Meara.	668,882
Wheelwright machine, W. J. Hutson.	668,644
Windmill, J. R. E. Byrne.	668,975
Windmill, Dempster & Kline.	668,812
Windmill long stroke gearing, G. A. Crawford.	668,729
Window platform, portable, H. M. Crawford.	669,006
Wire stretcher, E. J. Berry.	668,970

(Continued on page 159)



You Can't Afford to Guess

at results in the poultry business. If you fail to raise the chicks, you simply have no business. The way to be absolutely sure about getting the chicks is to employ a Cyphers Incubator in your hatching. We guarantee them to last 10 years and to outlast any incubator made. The best way to know about it is to read our 224 page (8x11 in.) book, "Profitable Poultry Keeping," 75c. 250 illustrations and covers the entire subject. We'll send it for 10 cents in stamps. Ask for book 134. Circulars mailed free. Address nearest office.

CYPHERS INCUBATOR CO. Boston, Mass., Wayland, N. Y., Chicago, Ill.

\$131,000,000 IN DIVIDENDS.

Equal, according to the last census, to practically \$10 for each family in the United States, was disbursed by the mines and mining industries of our country during the past year (1900), and of those receiving these enormous dividends.

Over 2,000 were Paid by Us

being stockholders in the several dividend-paying mines of which we are the sole fiscal agents, and which we have financed during the year, the

Highest Being 35% Lowest 12%

on the amount invested in the stocks, and a much larger ratio of profit on their cash market value at the present time should any one desire to sell.

Our Pamphlets of Working Mines, first issues and dividend payers, latest reports

BOOKLET ABOUT OURSELVES, explaining in detail our successful plan of securing for our customers the large profits of legitimate mining investments with the risk of loss practically obviated, also COMBINATION ORDER BLANK


which divides the investment among dividend payer and first issues, insuring large and regular income, will be of interest to investors desiring more than usual returns for surplus funds, mailed free with explanatory letter on request.

DOUGLAS, LACEY & CO.,

BANKERS AND BROKERS,

66 BROADWAY & 17 NEW ST., NEW YORK.

BRANCHES: CLEVELAND: The Cuyahoga Building, BOSTON: International Trust Co. Bldg. PHILADELPHIA: The Betsy Building, CHICAGO: The Fisher Building, ST. LOUIS: The Security Building.



ANYBODY CAN

make a success of the poultry business if they start right. Our 20TH CENTURY POULTRY BOOK will not only help you to start right, but it will keep you right. Tells all about poultry raising and the best—Reliable Incubators. Used all over U. S. and 51 foreign countries. Book mailed for 10c. Reliable Incubator and Brooder Co., Box B 105, Quincy, Ills.



PERFORATED METALS

FOR ALL USES. MADE AS REQUIRED.


HARRINGTON & KING PERFORATING CO., CHICAGO.

Acetylene Gas Lighting

Reduced to the most Efficient, Safest, Simple and Economical Use.

We guarantee our machines perfectly automatic in action, to extract all the gas from the carbide, and absolutely no over production or loss of gas. Approved by the various Boards of Fire Underwriters. Standard sizes 10 to 150 lights. Exclusive territory given to responsible agents. Correspond with

NIAGARA FALLS ACETYLENE GAS MACHINE CO., Niagara Falls, N. Y. and Canada.



THE AUTO-CARBURETTOR

made upon a new principle furnishes a reliable explosive mixture. Easy ignition and greatest expansion. No pump required. Uses any grade of gasoline with no waste. Especially adapted to automobile and cycle motors. Our customers say it is the best Carburetor in the market. We make also the Register Valve for controlling the flow of gasoline or other fluids. Write us for prices and booklet on Carburetors. Gasoline and Steam Engines and Automobiles built to order and repaired.

The Avery & Jenness Co., 30 W. Washington St., Chicago

Our Specialty: Knock-Down Boats of any description.



AMERICAN BOAT & MACHINE CO.

ROW, SAIL AND PLEASURE BOATS,

Marine Station, ST. LOUIS, MO.


Perfection Air Mattresses

FOR CAMP-YACHT-HOME-HOSPITAL. NON-ABSORBENT. HYGIENIC. ODOORLESS.

When deflated can be rolled into small package for storage or transportation. Send for Illustrated Catalogue with Prices.

Mechanical Fabric Co., PROVIDENCE, R. I.

LARGEST CAMERA IN THE WORLD




WAS CONSTRUCTED ESPECIALLY BY ORDER OF THE

CHICAGO & ALTON

RAILWAY, TO PHOTOGRAPH THE ALTON LIMITED.

SEND A 2c. STAMP TO GEO. J. CHARLTON, G. P. A., C. & A. RAILWAY, CHICAGO, ILL., AND RECEIVE AN ILLUSTRATED PAMPHLET WITH FULL ACCOUNT OF THE FIRST EXPOSURE MADE WITH THE EXTRAORDINARY MACHINE.




Do You Raise Chicks?

How much money you make depends on how you do it. Our 154p book tells all about Successful incubation and brooding. Sent for 6c in stamps. Printed in 5 languages. Des Moines Incubator Co., Box 75, Des Moines, Iowa.

ONLY \$12.75 SEND NO MONEY

if you live within 500 miles of Chicago, if further send \$1.00, cut out and return this ad. Mention No. 671, and we will send you this HAD-SOME ROLL TOP OAK DESK by freight C. O. D., subject to examination. You can examine it at your nearest railroad station, and if found perfectly satisfactory and exactly as represented, the greatest value you ever saw or heard of, the equal

of desks that others sell at almost double the price, then pay the railroad agent. OUR SPECIAL OFFER PRICE, \$12.75 and freight. This desk weighs about 180 pounds, and the freight for each 100 miles will be about 50 cents; 500 miles, about \$15.00. 18 1/2 ft. 2 in. long, 2 ft. 6 in. wide, 3 ft. 8 in. thick. Finished in antique, full finished back, extension slides, quarter sawed sycamore pigeonhole case, combination lock on drawers, spring lock with duplicate keys on curtain, 3 drawers on left side, lower partition for books, bookcase on right hand side, drawers, pencil rests and card rack in interior, desk hand pulled, dust proof curtain. THESE DESKS are made for us under contract by one of the largest and best desk makers in this country. Every desk is put out under the manufacturer's BINDING GUARANTEE, and our special \$12.75 price barely covers the cost of material and labor, with but our one small percentage of profit added. Address: SEARS, ROEBUCK & CO., CHICAGO, ILL.



SEARS, ROEBUCK & CO., CHICAGO, ILL.

326 FIRST PREMIUMS SEND FOR FREE CATALOGUE. Prairie State Incubator Co., Homer City, Pa.

17 JEWELLED

adjusted, patent regulator, stem wind and stem set, genuine

NATIONAL SPECIAL

movement, Ladies or Gents size. WARRANTED 20 YEARS. 14K.

Gold plate hunting case elegantly engraved. Fit for a king. No better watch made. Must be seen to be appreciated. Special offer for next 60 days, send your full name and address and we will send this watch C.O.D. with privilege to examine. If found satisfactory pay agent \$5.85 & express charges. A guarantee and beautiful chain & charm sent free with every watch. Write at once as this may not appear again. NAT'L MFG. & IMPORTING CO. 824 Dearborn St., B 420, Chicago, Ill.



We have an Inquiry for Your Goods

very often, and if we only knew your address, we could turn over to you inquiries by the hundred that come pouring into our office daily.

Read the "Business and Personal Want" Columns.

There you will find inquiries numbered. Read them carefully every week, and if you can furnish the goods required, write us at once, GIVING THE NUMBER OF THE INQUIRY every time, and we will put you in communication with the parties desiring the information. You may get an order or many orders by simply reading our BUSINESS AND PERSONAL WANT COLUMNS every week.

A Line to Workers who are Drifting

Write for free copy of our book: **SALARIED POSITIONS for LEARNERS**

It tells how you can support yourself while learning your chosen profession. 250,000 students and graduates in Mechanical, Civil, Electrical Engineering, Architecture, Drawing, Designing, Book-keeping, etc.

International Correspondence Schools, Box 942 Scranton, Pa.

ELECTRICAL ENGINEERING TAUGHT BY MAIL.

Write for our Free Illustrated Book: **"CAN I BECOME AN ELECTRICAL ENGINEER?"**

We teach Electrical Engineering, Electric Lighting, Electric Railways, Mechanical Engineering, Steam Engineering, Mechanical Drawing, at your home by mail. Institute endorsed by Thos. A. Edison and others.

ELECTRICAL ENGINEER INSTITUTE, Dept. A, 240-242 W. 23d St., New York.

PSYCHRATISM

The New Discovery of the Age.

THE VERNON ACADEMY will tell you all about it **FREE OF CHARGE**

The new discovery of Prof. Albert Vernon, the marvel of the Century. A thousandfold more powerful than HYPNOTISM. A knowledge of the wonderful resources of this science will unfold to you the secrets of success and make clear and plain all that has seemed so mysterious and that has been attributed to supernatural agency or hypnotism during past ages. You may have a wonderful, comprehensive 100-page book by this gifted man by sending your name to us at once. Write today. It is absolutely FREE. Address: **VERNON ACADEMY OF MENTAL SCIENCES,** 2203 East Avenue, Rochester, N. Y.

Your scale of wages depends on your efficiency.

FREE SCHOLARSHIP

The Trustees of the American School of Correspondence will award a limited number of Free Scholarships in Mechanical, Electrical, Marine, Stationary, and Locomotive Engineering, including a complete course in Mechanical Drawing. Application blank on request.

American School of Correspondence, Boston, Mass. (Chartered by the Commonwealth of Massachusetts) Mention this paper.

\$1,000 A YEAR FOR LIFE. SIX PER CENT. GUARANTEED.

A thorough investigation will convince you that \$12.50 per month invested for six years in the Montezuma Plantation will give you an annual income of \$1,000 for life. It will convince you that the enterprise is not a speculation, but a solid, conservative investment. The plantation, 6,000 acres, is being planted to rubber and sugar. The Company's Financial Strength—The Mexican Coffee and Rubber Growers' Association manages the plantation for 25 years. The mercantile agencies say that it has a capital of \$5,000,000, assets \$4,000,000, and owns steamboats. Each Member Only One Vote—Impossible to Freeze Out—The plan is the perfection of co-operation. Chicago Title and Trust Co., Trustees. This well-known institution holds the title to the land and acts as a depository for the purchasers' money. Pointers on Profits—Sir Thomas Lipton says: "For sure, large and permanent returns, nothing equals a well-managed tropical plantation." Russell Sage says a rubber plantation is better than a bank. Write for literature, mentioning this paper. **MONTENZUMA PLANTATION, 1107 Ashland Block, Chicago.**

THE NEW BRISTOL COUNTER



Registers an accurate account of work done on printing presses, grain tallies, weighing, measuring and other automatic machines. Counts up to 1,000,000 and repeats automatically. Simple, accurate, durable. Special counters to order. Send for circular.

C. J. ROOT, Bristol, Conn., U. S. A.

REBUILT MACHINERY

and SUPPLIES at Bargain Prices. Largest Machinery Depot on earth. We buy buildings and plants; others we bought the World's Fair, the Omaha Exposition, the Chicago Post Office, and other structures. We rebuild machinery of all kinds, and sell with binding guarantees. Boilers from \$25 up; Engines from \$35 up; Steam Pumps from \$15 up; complete stock of General Supplies, BELTING, SHAPING, HANGERS, PULLEYS, IRON WARE, VALVES & FITTINGS, PLUMBING MATERIAL, etc.

We carry on constantly buying entire stocks at Sheriffs' and Receivers' sales. **Chicago House Wrecking Co., W. 35th & Iron Sts., Chicago, Ill.**

The Deadly Faucet!

From it comes the germ-laden water carrying with it all the elements of disease, but if you use **The Berkefeld Filter** the water will be thoroughly purified in passing through the cylinders of Infusorial Earth which retains every atom of solid matter. Easy to clean. Yields a gallon of pure water in 4 minutes.

BERKEFELD FILTER CO., 2 Cedar St., New York.

Wrapper, shipping, H. Baskerville.....	668,705
Wrapping circulars, newspapers, books, etc., machine for, C. L. Crosby.....	669,027
Wrench, See Nut wrench. Pipe wrench.....	
Zinc amalgam plates, manufacturing, Eyan-son & Shiun.....	669,007

DESIGNS.

Badge, etc., I. Matsumoto.....	34,124
Bath tub, sitz, F. A. Wells.....	34,144
Bin cover, J. Algots.....	34,146
Buckle, belt, C. Vehringer.....	34,126
Caster yoke blank, B. P. Kenyon.....	34,140
Chair bottom, S. Kurek.....	34,152
Chisel, firm, J. Swan.....	34,138
Cutter head, A. E. Edwards.....	34,141
Dish, G. Vogt.....	34,130
Dish, covered, G. Vogt.....	34,129
Eye protector, O. C. Earl.....	34,131
Garnet machine arch, J. K. Proctor.....	34,142
Hinge, H. T. Bush.....	34,135
Hot air furnace, J. H. Laux et al.....	34,149
Last, darning, B. C. Shiells.....	34,132
Look case, I. H. Wales.....	34,124
Mantel, C. B. Atkin.....	34,150
Mantel, fireplace, C. B. Atkin.....	34,151
Necktie band holder, Z. Guzik.....	34,127
Package tie button, J. Bendor.....	34,128
Seed case, Brohen & Hackett.....	34,153
Sink, siphon jet sloop, S. D. Baker.....	34,143
Stove or range lid, J. C. Bartlett.....	34,148
Stove or range lid crosspiece, J. C. Bartlett.....	34,147
Watch chain, W. S. Bickley.....	34,125
Wheel hanger, wagon, L. A. Erickson.....	34,138
Whip stock, W. M. Weygant.....	34,133
Wrench, bicycle, E. Mercier.....	34,137
Wrench member, W. S. Ward.....	34,136

TRADE MARKS.

Ale, beer and porter, Frank Jones Brewing Co.....	35,969
Apparel, certain named wearing, H. Carhart.....	35,953
Athletic goods, certain named, Wright & Ditson.....	35,983
Boots, Bradley & Metcalf Co.....	35,955
Boots, shoes, and leather for same, Rice & Hutchins.....	35,956
Butter and cheese, C. Smith.....	35,957
Cards, playing, United States Playing Card Company.....	35,947
Chemical solvents for gums and oils, Commonwealth Manufacturing Company.....	35,981
Cigars, C. C. Taft Co.....	35,968
Clothing and furnishing goods, certain named, When Clothing Company.....	35,952
Clothing, men's and boys', S. W. Peck.....	35,951
Coffee, T. R. Timby.....	35,970
Filter, C. E. Lefebvre.....	35,984
Flour, wheat, Wm. Lindeke Roller Mills.....	35,964
Food, stock, J. E. Robinson.....	35,963
Garnments, holder for certain named, Royal Wardrobe Co.....	35,959
Hair tonic, Young & Garvey.....	35,973
Heating apparatus, Richmond Stove Company.....	35,986
Linen goods, certain named, York Street Flax Spinning Co.....	35,954
Lubricants, Petroleum Lubricant Co.....	35,982
Medical and pharmaceutical preparations, R. Groppler.....	35,979
Medical compound, certain named, Fierheller & Tuckett.....	35,978
Medicinal mud and mineral water, natural, Indiana Springs Company.....	35,971
Medicine for chills and fevers, Ramsey & Co.....	35,976
Medicines, certain named, Dr. Richards Dyspepsia Tablet Association.....	35,975
Medicines for certain named diseases, Martin H. Smith Co.....	35,974
Needles, Thüringische Nadel- & Stahlwaaren Fabrik Wolf Knippenberg & Co., Actien-Gesellschaft.....	35,960
Ointment and lotion, U. C. Roumillat.....	35,980
Paper and envelopes, C. J. Cohen.....	35,944
Pens, fountain, E. Todd & Co.....	35,945
Perfumery, F. Stearns & Co.....	35,972
Pianos, Steinway & Sons.....	35,985
Remedy, certain named, K. Williams.....	35,977
Ribbons, silk and silk mixed, H. B. Claffin Company.....	35,958
Soda and baking powder, baking, Church & Dwight Co.....	35,962
Soda, saleratus, and sal soda, baking, Church & Dwight Co.....	35,961

LABELS.

"Anti Bacilli," for a medicinal ointment or paste, B. F. Bye.....	8,157
"Blairhawk Brand," for canned sugar corn, Waterloo Canning Co.....	8,178
"Chase City Lithia Water," for mineral water, Chase City Mineral Water Co.....	8,163
"Chase City Mineral Water Co.," for mineral water, Chase City Mineral Water Co.....	8,165
"Chinaman's Secret," for a washing compound, R. M. Ferguson.....	8,155
"Chloride Calcium Water," for mineral water, Chase City Mineral Water Co.....	8,162
"Columbian Brand," for canned sugar corn, Waterloo Canning Co.....	8,175
"Grill's La Palma Grand," for cigars, Schmidt & Co.....	8,171
"Horace Mann," for cigars, Schmidt & Co.....	8,170
"Kaw Valley Sugar Corn," for canned sugar corn, Lawrence Canning Company.....	8,174
"Kaw Valley Tomatoes," for canned tomatoes, Lawrence Canning Company.....	8,173
"Lewis' Hair Grower," for a hair preparation, J. T. Lewis.....	8,158
"Lorraine Export," for bottled beer, P. J. Serwazi.....	8,167
"Magnetic Tonic," for a medicine, Worlds Electro-Medical Institute.....	8,161
"Napoleon Brand," for canned sugar corn, Waterloo Canning Co.....	8,179
"Old Guard Brand," for canned sugar corn, Waterloo Canning Co.....	8,176
"Olympia Cottons," for cotton piece goods, Walker Bros. & Co.....	8,154
"Penn," for smoking and chewing tobacco, Penn Tobacco Co.....	8,169
"Perfectly Pure," for whisky, P. McIntyre.....	8,168
"Prima Vuelta," for cigars, Schmidt & Co.....	8,172
"Restora," for mineral water, E. W. Zoellner.....	8,166
"Royal Pearl," for a medicinal preparation, H. R. Hale Co.....	8,160
"Searchlight Brand," for canned sugar corn, Waterloo Canning Co.....	8,180
"Sure Cure," for a medicine, W. H. Stewart.....	8,159
"20th Century Doll," for dolls, W. C. Schoenemann.....	8,153
"Waterloo Brand," for canned sugar corn, Waterloo Canning Co.....	8,177
"Window Shine," for a glass cleaner, W. N. McClure.....	8,156

PRINTS.

"Chase City," for mineral water, Chase City Mineral Water Co.....	307
"Lucca Olive Oil," for olive oil, Zucca & Co.....	306
"The Ensign," for publications, etc, E. C. McClain.....	305

A printed copy of the specification and drawing of any patent in the foregoing list, or any patent in print issued since 1863, will be furnished from this office for 10 cents. In ordering please state the name and number of the patent desired, and remit to Munn & Co., 361 Broadway, New York.

Canadian patents may now be obtained by the inventors for any of the inventions named in the foregoing list, provided they are simple, at a cost of \$45 each. If complicated the cost will be a little more. For full instructions address Munn & Co., 361 Broadway, New York. Other foreign patents may also be obtained.

I Teach by Mail

with Perfect Success
PHYSIOLOGICAL EXERCISE

without any apparatus whatever, and requiring but a few minutes' time in your own room just before retiring. By this condensed system more exercise can be obtained in ten minutes than by any other in two hours, and it is the only one which does not overtax the heart. It is the only natural, easy and speedy method for obtaining perfect health, physical development and elasticity of mind and body. If you will follow my instructions for a few weeks, I will promise you such a superb muscular development and such a degree of vigorous health as to forever convince you that intelligent direction of muscular effort is just as essential to success in life as intelligent mental effort. Pupils are of both sexes ranging in age from fifteen to eighty-six, and all recommend the system. Since no two people are in the same physical condition, individual instructions are given in each case. Write at once, mentioning SCIENTIFIC AMERICAN, for full information and endorsements from many of America's leading citizens.


ALOIS P. SWOBODA, 57 Washington St., Chicago

IF YOU SHOOT A RIFLE

Pistol or Shotgun, you'll make a Bull's Eye by sending three 2c. stamps for the **Ideal Hand-book "A,"** 126 pages FREE. The latest Encyclopedia of Arms, Powders, Shot and Bullets. Mention SCIENTIFIC AMERICAN. Address: **IDEAL MFG. CO., NEW HAVEN, CONN., U. S. A.**

KAISER MOUSTACHE TRAINER.

Patented. New Rapid Seller. No competition. Agents, **S. J. DAY,** Samples 50 cents. **Bohner Mfg. Co., 42 State St., Chicago, Ill.**



The Angle Lamp

"The Light that Never Fails."

is beyond comparison with any other method of illumination. It combines the three essential features of good light—great brilliancy, ease of operation and great economy. It is radically different from all other lamps and it is rapidly replacing gas, electricity and other systems. Unlike gasoline or acetylene it is absolutely safe and never smokes or smells under any circumstances. It costs but about eighteen cents per month to burn and is operated as easily as gas. Thousands are in use in homes all over the country and is ideal in every respect. Our catalogue M.M. shows all styles from \$1.50 up and is sent on request. It will pay you to send for it and learn more about this wonderful lamp.

THE ANGLE LAMP CO., 76 Park Place, New York City.

WANTED To purchase or manufacture on a royalty, patented machine tools of new design, or now on the market, for which there is a legitimate demand at a fair profit. Address **Lock Box 21, Station B, Cleveland, Ohio.**

DICKERMAN'S DURABLE DESKS

Don't buy until you get our catalogue—100 pages of money saving values.

AMERICAN STORE STOOL CO., 33 Howard St., New York

Why Make Rubber Stamps?

Our "New York" Rubber Stamp Vulcanizers received the only medal awarded any Vulcanizer, World's Fair, Chicago. Simple process. Large profits. Circulars free. **Barton Mfg. Co., Dept. A, 338 B'way, New York, U.S.A.**

THE WILLIAMS Pneumatic Pulley

Double the grip of an ordinary pulley.

M. F. WILLIAMS & SONS, ST. LOUIS, MO., U. S. A.

50 YEARS' EXPERIENCE

PATENTS

TRADE MARKS DESIGNS COPYRIGHTS & C.

Anyone sending a sketch and description may quickly ascertain our opinion free whether an invention is probably patentable. Communications strictly confidential. Handbook on Patents sent free. Oldest agency for securing patents. Patents taken through Munn & Co. receive special notice, without charge, in the

Scientific American.

A handsomely illustrated weekly. Largest circulation of any scientific journal. Terms, \$3 a year: four months, \$1. Sold by all newsdealers.

MUNN & Co., 361 Broadway, New York

Branch Office, 625 F St., Washington, D. C.

DRIVING A PLEASURE

when holding your horse with an IMPERIAL BIT, giving 100 per cent more leverage than any other. Any lady can control the most vicious horse. Positive cure for tongue-biting. Will prevent side pulling and driving on one line. Sent to any address, postpaid, upon receipt of price. In X C plate or imitation rubber, \$1. In fine nickel plate, \$2.

Imperial Bit and Snap Co., 14th Street, Racine, Wis.

MORAN FLEXIBLE JOINT

for Steam, Air or Liquids.

Made in all sizes to stand any desired pressure.

Moran Flexible Steam Joint Co., Inc'd, 149 East 3d St., Louisville, Ky.



PATENT RIGHTS FOR SALE.

I have invented, patented and own a device to supersede all previous collars for machinery shafting on account of its superior safety, simplicity and security. The collar has no set screw which often projects and causes accidents, no countersunk screw to weaken the collar. The "Fleming" Collar is simple in construction—made in four pieces to clasp around the shaft and can be put on or taken off without removing other parts of the machinery. It thus saves ten times its cost in time and labor. It can be manufactured as cheaply as any collar now on the market. It is a blending of safety, simplicity and security, and only needs to be introduced to become universally used. It cannot slip at all and has a grip on the shafting the full surface of its circumference. I want to sell the patent rights. Apply to **W. H. DAVIS, P. O. Box 305, Montreal, Can.**

ICE MACHINES, Corliss Engines, Brewers' & Butlers' Machinery, THE VILVER MFG. CO., 889 Clinton Street, Milwaukee, Wis.

Buy a Lawn Mower Grinder. We have one that will sharpen horse and hand mowers and do it right. **C. R. ZACHARIAS, Asbury Park, N. J.**

MODELS & CATALOGUES FREE. UNION MODEL WORKS & CARS, 193 CLARK CHICAGO.

SALE IN EUROPE, particularly in France, of patented American Machines and Industrial Apparatus, and of patented American inventions. **L. SIMON, Civil & Mechanical Engineer, Troyes, France.**

1/2 H. P. GAS ENGINE CASTINGS

Materials and Blue Prints. Write for Catalogue 9. **PARSELL & WEED, 129-131 W. 31st Street, New York.**

WANTED Twelve good floor hands used to large work and six good planer hands. Write stating experience to **P. O. BOX 1042, Philadelphia, Pa.**

STEEL TYPE, GALLEYS, LITHO, NOVELTIES & ETC. NEW YORK STENCIL WORKS 100 NASSAU ST. N.Y.

PARTNER WANTED to introduce new patented improvement in pump. Full investigation courted. See description of invention on page 154 of this issue. **ADOLPH RICHTER, 1134 First Ave., N. Y.**

SHORTHAND BY MAIL. Pioneer home course. Catalogue and First Lesson Free. **Potts Shorthand College, Box 33, Williamsport, Pa.**

D'AMOUR & LITTLEDALE MACHINE CO. 130 WORTH ST. NEW YORK. PATTERN AND MODEL MAKERS.

TO PATENTEES AND INVENTORS. W. & R. Leggett, Limited, General and Builders' Brass-founders, Silens Works, Bradford, England, would purchase outright or make on commission any good appliance for interior of buildings, specially door and window fittings. Write to **W. & R. LEGGETT, Ltd. Silens Works, Bradford, England.**

ANY BICYCLE RIDER may and ALL REPAIRERS do need our 1901 A. & J. Hanger. If you have a used-up hanger to replace; if you have frames with odd-sized brackets; if you want a higher gear; Write us and find out all about the A. & J. Hanger. We send the complete set all ready to go into your frame. No bother brading or re-naming. We cut at any frame. **THE AVERY & JENNESS CO., 30 W. Washington St., Chicago, Ill.**

\$3 a Day Sure Send us your address and we will show you how to make \$3 a day absolutely sure; we furnish the work and teach you free, you work in the locality where you live. Send us your address and we will explain the business fully, remember we guarantee a clear profit of \$3 for every day's work, absolutely sure. Write at once. **ROYAL MANUFACTURING CO., Box 354, Detroit, Mich.**

D. L. HOLDEN 14 SOUTH BROAD ST. PHILADELPHIA PA. SOLE MANUFACTURER REGEALD ICE MACHINES SEE FIRST PAGE, SCIENTIFIC AMERICAN SEPT. 2, 1899.

SMOKERS

Why fumble in trying to make a short puff? This Patent Nickel Plated Cigarette Maker with safety hook and pouch attachment saves time and tobacco and makes a perfect cigarette. Sent postpaid to any address on receipt of 25c. **J. B. POPENHAGEN, 25 Dearborn St., Room 412, Chicago, Ill.**

LYON & HEALY'S BRASS BAND

Own Make

INSTRUMENTS. Indorsed by the great Jules Levy as the best in the world. Big Catalog, 400 illustrations, FREE. Positively the lowest prices on Band Instruments, Uniforms and Supplies of all kinds. Also contains Music and Instructions for New Bands. **Lyon & Healy, Manufacturers, 38 Adams St., Chicago.** (Lyon & Healy are the largest music house in the world—Editor.)

RIDER AGENTS WANTED

One in each town to ride and exhibit sample 1901 Bicycle. **BEST MAKES 1901 Models, \$10 to \$18**

'99 & '00 Models, high grade, \$7 to \$12. **500 Second-hand Wheels** all makes and models, good as new, \$3 to \$5. Great Factory Clearing Sale at half factory cost. We ship anywhere on approval and ten days trial without a cent advance.

EARN A BICYCLE distributing Catalogues for us. We have a wonderful proposition to Agents for 1901. Write at once for our Bargain List and Special Offer. Address Dept. 62 L. **MEAD CYCLE CO., Chicago**

DRIVER AGENTS WANTED

One in each town to ride and exhibit sample 1901 Bicycle. **BEST MAKES 1901 Models, \$10 to \$18**

'99 & '00 Models, high grade, \$7 to \$12. **500 Second-hand Wheels** all makes and models, good as new, \$3 to \$5. Great Factory Clearing Sale at half factory cost. We ship anywhere on approval and ten days trial without a cent advance.

EARN A BICYCLE distributing Catalogues for us. We have a wonderful proposition to Agents for 1901. Write at once for our Bargain List and Special Offer. Address Dept. 62 L. **MEAD CYCLE CO., Chicago**

DRIVER AGENTS WANTED

One in each town to ride and exhibit sample 1901 Bicycle. **BEST MAKES 1901 Models, \$10 to \$18**

'99 & '00 Models, high grade, \$7 to \$12. **500 Second-hand Wheels** all makes and models, good as new, \$3 to \$5. Great Factory Clearing Sale at half factory cost. We ship anywhere on approval and ten days trial without a cent advance.

EARN A BICYCLE distributing Catalogues for us. We have a wonderful proposition to Agents for 1901. Write at once for our Bargain List and Special Offer. Address Dept. 62 L. **MEAD CYCLE CO., Chicago**

DRIVER AGENTS WANTED

One in each town to ride and exhibit sample 1901 Bicycle. **BEST MAKES 1901 Models, \$10 to \$18**

'99 & '00 Models, high grade, \$7 to \$12. **500 Second-hand Wheels** all makes and models, good as new, \$3 to \$5. Great Factory Clearing Sale at half factory cost. We ship anywhere on approval and ten days trial without a cent advance.

EARN A BICYCLE distributing Catalogues for us. We have a wonderful proposition to Agents for 1901. Write at once for our Bargain List and Special Offer. Address Dept. 62 L. **MEAD CYCLE CO., Chicago**

DRIVER AGENTS WANTED

One in each town to ride and exhibit sample 1901 Bicycle. **BEST MAKES 1901 Models, \$10 to \$18**

'99 & '00 Models, high grade, \$7 to \$12. **500 Second-hand Wheels** all makes and models, good as new, \$3 to \$5. Great Factory Clearing Sale at half factory cost. We ship anywhere on approval and ten days trial without a cent advance.

EARN A BICYCLE distributing Catalogues for us. We have a wonderful proposition to Agents for 1901. Write at once for our Bargain List and Special Offer. Address Dept. 62 L. **MEAD CYCLE CO., Chicago**

FOR MEN OF BRAINS Cortez CIGARS —MADE AT KEY WEST—

These Cigars are manufactured under the most favorable climatic conditions and from the mildest blends of Havana tobacco. If we had to pay the imported cigar tax our brands would cost double the money. Send for booklet and particulars.

CORTEZ CIGAR CO., KEY WEST.

THOROUGH INSPECTIONS

AND INSURANCE AGAINST LOSS OR DAMAGE TO PROPERTY AND LOSS OF LIFE AND INJURY TO PERSONS CAUSED BY

STEAM-BOILER-EXPLOSIONS

HARTFORD STEAM-BOILER INSPECTION AND INSURANCE CO. CONN.

J. M. ALLEN, PRESIDENT W. B. FRANKLIN, VICE PRESIDENT
J. B. PIERCE, SECRETARY F. B. ALLEN, 2ND VICE PRESIDENT
L. B. BRAINERD, TREAS. L. F. MIDDLEBROOK, ASST. SECY.

SIMPLICITY OF CONSTRUCTION

Many of the Automobiles of to-day are complex in their mechanism and therefore difficult and dangerous to operate. The



WINTON MOTOR CARRIAGE

is distinguished by the simplicity and durability of its construction. Two

and four passenger carriages and delivery wagons are described in 1901 catalog just published. Send your name and address to

THE WINTON MOTOR CARRIAGE CO.,
486 Belden Street, Cleveland, Ohio, U. S. A.
EASTERN DEPOT, 150-152 East 58th Street, New York.

The Haynes-Apperson Co.

BUY THE BEST OUR 1901 MODEL



We are the pioneer automobile manufacturers of America. Profit by our experience. We have passed the experimental stage and have something practical to offer. Write for catalogue describing our gasoline system and one, two and three seated carriages.


THE HAYNES-APPERSON CO., KOKOMO, IND.

CHARTER ENGINE

USED ANY PLACE BY ANY ONE FOR ANY PURPOSE

FUEL—Gasoline, Gas, Distillate


Stationaries, Portables, Engines and Pumps, Hoisters



State Your Power Needs

CHARTER GAS ENGINE CO., Box 148, STERLING, ILL.


STEAM SHOVELS



Both BOOM and CRANE types. Also Elevator Bucket Dredges.

The Vulcan Iron Works Co. TOLEDO, O. U. S. A.

Carbide Feed ACETYLENE GENERATORS



are endorsed by the U. S. Government, by the State of Pennsylvania, and by all other disinterested authorities.

They embody the latest and most approved principles of construction, and are guaranteed by the largest concern engaged in the business to be of perfect workmanship.


Made from the best material by expert mechanics.

ECONOMICAL AND SAFE. EASY OF OPERATION.

J. B. COLT CO., Dept. S.
108 Fulton Street, New York.
146 Franklin Street, Boston.
189 La Salle Street, Chicago.
421 Chestnut Street, Philadelphia.

The grandest achievement of the period in home lighting.

The Electrolite



Acetylene is harnessed at last with perfect and complete results.

A light like day—rich and easy to the eyes.

Turns up or down and on or off.

As handy as city gas—more so because portable.

The power of 36 candles, and white, not yellow.

Safest form of lighting known and more perfect than electricity.

Actually a triumph of the century.

NO LIGHT OF ANY KIND AT ANY COST HAS EVER "HELD A CANDLE TO IT."

Costs but a trifle more than previous imperfect experiments, but it solves the problem fully, delightfully and without a single drawback. IT IS CHEAPER THAN KEROSENE. PAYS FOR ITSELF IN A VERY SHORT TIME.

FOR GETTING IT EXHIBITED IN YOUR TOWN, NOT TAKING ANY ORDERS YOU CAN GET ONE FREE

They sell at dealers for Ten Dollars. We prefer to have you order through your dealer, who will order one for you through his jobber. If not, we will send you one prepaid by express on receipt of price. We protect you with the guarantee of money refunded in full if not found all we claim for it. (If interested in getting one free at little or no trouble, write us at once.)

Address **EDWARD MILLER & CO., Box 42, Meriden, Conn.**

PARALLEL CH-BESLY & CO. CLAMPS ALL ANGLES SIDES U-S-A

Scales All varieties at lowest prices. Best Railroad Track and Wagon or Stock Scales made. Also 1000 useful articles, including Saws, Sewing Machines, Bicycles, Tools, etc. Save Money. Lists Free. **CHICAGO SCALE CO., Chicago, Ill.**

The Typewriter Exchange

1 1/2 Barclay St., NEW YORK
124 La Salle St., CHICAGO
38 Bromfield St., BOSTON
817 Wyandotte St., KANSAS CITY, MO.
209 North 9th St., ST. LOUIS, MO.
432 Diamond St., PITTSBURGH, PA.
3 West Baltimore St., BALTIMORE, MD.
536 California St., SAN FRANCISCO, CAL.
We will save you from 10 to 50% on Typewriters of all makes. Send for Catalogue.

to 50% on Typewriters of all makes. Send for Catalogue.

WATERPROOF GLUE

A NEW GLUE which is strictly WATER-PROOF. Information and prices supplied by the

CASEIN COMPANY OF AMERICA,
74 JOHN ST., NEW YORK, N. Y.

A SMALL CAPITAL brings good returns if invested in a MAGIC LANTERN or Stereopticon for exhibition purposes. Write for 260 page illustrated catalogue free. **McALLISTER, Mfg. Optician, 49 Nassau St., N. Y.**

ON A NEW PRINCIPLE our MUFFLER does the work. If your exhaust makes a racket, write Pat. applied for us, and we will tell you how to cure it. **Automobile, Marine and Stationary Mufflers. LOOMIS AUTOMOBILE CO. Westfield, Mass.**

Put on paint that stays on. **PATTON'S SUN-PROOF PAINTS** are guaranteed for five years. A practical book of useful paint knowledge and many color combinations, free. Liberal inducements and agency to dealers. **JAS. E. PATTON CO., 227 Lake St., Milwaukee, Wis.**

MORROW COASTER BRAKE. FITS ANY CYCLE. 100,000 IN USE. ADDS PLEASURE AND SAFETY—ALL DEALERS SELL THEM. RIDE 50 MILES—PEDAL ONLY 35. **ECLIPSE MANUFACTURING CO., BOX X, ELMIRA, N.Y.** SEND FOR BOOKLET.

MEXICO A Permanent, Profitable and Legitimate Business. Fortunes are being made in Tropical Agriculture.

Write for information how to join a Mutual Company by depositing your savings monthly. Very profitable and protected by a Powerful Trust Company.

MEXICAN MUTUAL PLANTERS CO., 1015 New York Life Bldg., CHICAGO.

THE LOZIER GAS ENGINE

A'WAYS READY.

No tinkering and fussing. Just a turn of the wheel and she works. A chain is as strong as its weakest link. An engine is as perfect as its poorest part. If your engine has a poor oiler, a defective spark, an inferior mixer or any other cheap parts, your boat is useless. There is nothing made that in any sense competes with the Lozier Marine Gas Engine. It is the only perfected contrivance of its kind. Learn about this.

Our 1901 advance catalogue which we will send you upon receipt of five cents in stamps, will post you on boat power and save you endless trouble next summer.

THE LOZIER MOTOR CO.,
26 Water Street, Plattsburgh, N. Y.

The New England Watch Co.

ARTISTIC SPECIALTIES for the Season are shown In Our Blue Book for Ladies' Watches. In Our Red Book for Men's Watches.

Either or both sent on application.
37 Maiden Lane, New York, N. Y. 149 State Street, Chicago, Ill. Spreckels Building, San Francisco, Cal.

CRACKS IN FLOORS

are unsightly, unclean and unsanitary. **GRIPPIN'S WOOD, CRACK AND CREVICE FILLER** is the only perfect remedy. A Paste, easily applied, elastic, adhesive, and non-shrinkable. Dirt and moth proof. Cost about 36c. per sq. ft. 5 lbs. will treat an average room. Price 20 cts. per lb. State the kind and condition of wood when ordering, and full instructions will be given. Is also the best filler for open-grained woods. **GRIPPIN MFG. CO., Lock Box 1, Newark, New York.** (Inclose stamp for booklet.)

A MUFFLE AND OVEN FURNACE

for heating and tempering Tools of all kinds, Cutlery, Taps, Dies, Reamers, Milling Cutters, Springs, etc., to the best possible advantage. Cost of operating on city gas 8 or 9 cents per hour in continuous use. Mixture of gas and air can be so regulated that a perfectly non-oxidizing atmosphere can be maintained and a perfect heat secured. This furnace is mounted on a hollow base fitted with muffle 6x8x12, and will allow of the substitution of a fire-clay slab for the muffle when required. No tool-room furnace is complete without one of these furnaces. It will be sent to any responsible shop on trial. Descriptive illustrated catalogue free. **Chicago Flexible Shaft Co., 158-162 Huron St., Chicago, Ill.**

ASBESTOS FIRE-FELT COVERINGS

PURE ASBESTOS, ABSOLUTELY FIRE PROOF. REPLETE WITH AIR CELLS, PERFECT NON-CONDUCTORS. STRONG, LIGHT, FLEXIBLE, EASILY APPLIED. MADE IN SECTIONS THREE FEET LONG. FIT STANDARD PIPE 1/2 INCH TO 16 INCHES. **H. W. JOHNS MFG CO.** NEW YORK, CHICAGO, PHILADELPHIA, BOSTON, HARTFORD.

ASBESTOS MATERIALS, LIQUID PAINTS & STAINS, ROOFING MATERIALS, ELECTRICAL MATERIALS.

ACETYLENE

DO YOU KNOW that the most light, least trouble, greatest comfort can be secured by using good burners. The best burner is D. M. STEWARD'S WONDER. Write, inclosing 25 cents, for sample. **STATE LINE TALC CO., Chattanooga, Tenn., U. S. A.**



PLEASURE & COMFORT GO HAND IN HAND

They have the life, elasticity and easy riding qualities of all other good tires, and when punctured are easier to mend. Detach from rim, repair the leak, go on your way rejoicing. No plugs, perspiration or profanity. Simple. Isn't it just as easy as it sounds.

G & J TIRE CO., Indianapolis, Ind.

JESSOP'S STEEL THE VERY BEST FOR TOOLS, SAWS, ETC. **WM. JESSOP & SONS, 129 JOHN ST. NEW YORK**